

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification 6 :  <b>A61K 39/00, 39/38, 39/12, C12P 21/04, C12N 7/00, 7/01, 7/02, 7/04, 7/06, 7/08, 15/00, 15/09, 15/63, 15/70, 15/74</b></p>	<p><b>A1</b></p>	<p>(11) International Publication Number: <b>WO 98/09646</b>          (43) International Publication Date: <b>12 March 1998 (12.03.98)</b></p>
<p>(21) International Application Number: <b>PCT/US97/12955</b>          (22) International Filing Date: <b>31 July 1997 (31.07.97)</b>          (30) Priority Data:              <b>08/708,541</b>      <b>5 September 1996 (05.09.96)</b>      <b>US</b>          (60) Parent Application or Grant              (63) Related by Continuation                  <b>US</b>      <b>08/708,541 (CIP)</b>                  Filed on      <b>5 September 1996 (05.09.96)</b>          (71) Applicant (for all designated States except US): <b>UNIVERSITY OF MARYLAND - BIOTECHNOLOGY INSTITUTE [US/US]; Suite 500, 4321 Hartwick Road, College Park, MD 20740 (US).</b>          (72) Inventors; and          (75) Inventors/Applicants (for US only): <b>VAKHARIA, Vikram, N. [US/US]; 11332 Booth Bay Way, Bowie, MD 20720 (US). MUNDT, Egbert [DE/DE]; Ring Strasse 12, D-17498 Rieusserorf (DE).</b></p>		<p>(74) Agents: <b>KITTS, Monica, Chin et al.; Nikaido, Marmelstein, Murray &amp; Oram LLP, Suite 330, Metropolitan Square - "G" Street Lobby, 655 15th Street N.W., Washington, DC 20005-5701 (US).</b>          (81) Designated States: <b>AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).</b>          Published          With international search report.</p>

(54) Title: **A METHOD FOR GENERATING BIRNAVIRUS FROM SYNTHETIC RNA TRANSCRIPTS**

(57) Abstract

A system for the generation of live Bimavirus such as infectious bursal disease virus (IBDV), a segmented double-stranded (ds)RNA virus of the *Birnaviridae* family, using synthetic transcripts derived from cloned DNA has been developed. Independent full-length cDNA clones were constructed which contained the entire coding and non-coding regions of RNA segments A and B of IBDV, respectively. Synthetic RNAs of both segments were produced by *in vitro* transcription of linearized plasmids with T7 RNA polymerase. Transfection of Vero cells with combined plus-sense transcripts of both segments generated infectious virus as early as 36 hours post-transfection. The development of a reverse genetics system for dsRNA viruses will greatly facilitate studies of the regulation of viral gene expression pathogenesis, and design of a new generation of live and inactivated vaccines.

874

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NI	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

## A METHOD FOR GENERATING BIRNAVIRUS FROM SYNTHETIC RNA TRANSCRIPTS

### Background of the Invention

Infectious bursal disease virus (IBDV), a member of the *Bimaviridae* family, is the causative agent of a highly immunosuppressive disease in young chickens (Kibenge, F.S.B., et al., *J. Gen. Virol.*, 69, 1757-1775 (1988)). Infectious bursal disease (IBD) or Gumboro disease is characterized by the destruction of lymphoid follicles in the bursa of Fabricius. In a fully susceptible chicken flock of 3-6 weeks of age the clinical disease causes severe immunosuppression, and is responsible for losses due to impaired growth, decreased feed efficiency, and death. Susceptible chickens less than 3 weeks old do not exhibit outward clinical signs of the disease but have a marked infection characterized by gross lesions of the bursa.

The virus associated with the symptoms of the disease is called infectious bursal disease virus (IBDV). IBDV is a pathogen of major economic importance to the nation and world's poultry industries. It causes severe immunodeficiency in young chickens by destruction of precursors of antibody-production B cells in the bursa of Fabricius. Immunosuppression causes increased susceptibility to other diseases, and interferes with effective vaccination against Newcastle disease, Marek's disease and infectious bronchitis disease viruses.

There are two known serotypes of IBDV. Serotype I viruses are pathogenic to chickens whereas serotype II viruses infect chickens and turkeys. The infection of turkeys is presently of unknown clinical significance.

IBDV belongs to a group of viruses called *Bimaviridae* which includes other bisegmented RNA viruses such as infectious pancreatic necrosis virus (fish), tellina virus and oyster virus (bivalve mollusks) and drosophila X virus (fruit fly). These viruses all contain high molecular weight (MW) double-stranded RNA genomes.

The capsid of the IBDV virion consists of several structural proteins. As many as nine structural proteins have been reported but there is evidence that some of these may have a precursor-product relationship (Kibenge,

F.S.B., et al., *J. Gen. Virol.*, 69, 1757-1775 (1988)). The designation and molecular weights of the viral proteins (VP) are as shown below.

5	Viral Protein	Molecular Weight
	VP1	90 kDa
	VP2	41 kDa
	VP3	32 kDa
	VP4	28 kDa
10	VP5	17 kDa

Two segments of double-stranded RNA were identified in the genome of IBDV. The IBDV genome consists of two segments of double-stranded (ds)RNA that vary between 2827 (segment B) to 3261 (segment A) nucleotide base pairs (Mundt, E. et al., *Virology*, 209, 10-18 (1995)). The larger segment A encodes a polyprotein which is cleaved by autoproteolysis to form mature viral proteins VP2, VP3 and VP4 (Hudson, P.J. et al., *Nucleic Acids Res.*, 14, 5001-5012 (1986)). VP2 and VP3 are the major structural proteins of the virion. VP2 is the major host-protective immunogen of IBDV, and contains the antigenic regions responsible for the induction of neutralizing antibodies (Azad, et al., *Virology*, 161, 145-152 (1987)). A second open reading frame (ORF), preceding and partially overlapping the polyprotein gene, encodes a protein (VP5) of unknown function that is present in IBDV-infected cells (Mundt, E., et al., *J. Gen. Virol.*, 76, 437-443, (1995)). The smaller segment B encodes VP1, a 90-kDa multifunctional protein with polymerase and capping enzyme activities (Spies, U., et al., *Virus Res.*, 8, 127-140 (1987); Spies, U., et al., *J. Gen. Virol.*, 71, 977-981 (1990)).

It has been demonstrated that the VP2 protein is the major host protective immunogen of IBDV, and that it contains the antigenic region responsible for the induction of neutralizing antibodies. The region containing the neutralization site has been shown to be highly conformation-dependent. The VP3 protein has been considered to be a group-specific antigen because

it is recognized by monoclonal antibodies directed against it from strains of both serotype I and II viruses. The VP4 protein appears to be a virus-coded protease that is involved in the processing of a precursor polyprotein of the VP2, VP3 and VP4 proteins.

5           Although the nucleotide sequences for genome segments A and B of various IBDV strains have been published, it was only recently that the complete 5'- and 3'-noncoding sequences of both segments were determined. The 5'-noncoding region of IBDV segments A and B contain a consensus sequence of 32 nucleotides, whereas the 3'-noncoding terminal sequences  
10 of both segments are unrelated, but conserved among IBDV strains of the same serotype (Mundt, E. et al., *Virology*, 209, 10-18 (1995)). These termini might contain sequences important in packaging and in the regulation of IBDV gene expression, as demonstrated for other dsRNA containing viruses such as mammalian and plant reoviruses, and rotaviruses (Anzola, et al., *Proc.*  
15 *Natl. Acad. Sci. USA*, 84, 8301-8305 (1987); Zou, S., et al., *Virology*, 186, 377-388 (1992); Gorziglia, M.I., et al., *Proc. Natl. Acad. Sci. USA*, 89, 5784-5788 (1992)).

          In recent years, a number of infectious animal RNA viruses have been generated from cloned cDNA using transcripts produced by DNA-dependent  
20 RNA polymerase (Boyer, J.C., et al., *Virology*, 198, 415-426 (1994)). For example poliovirus, a plus-stranded RNA virus; influenza virus, a segmented negative-stranded RNA virus; rabies virus, a non-segmented negative-stranded RNA virus; all were recovered from cloned cDNAs of their respective genomes (van der Werf, S., et al., *Proc. Natl. Acad. Sci. USA*, 83, 2330-2334  
25 (1986); Enami, M., et al., *Proc. Natl. Acad. Sci. USA*, 87, 3802-3805 (1990); Schnell, M.J., et al., *EMBO J.*, 13, 4195-4205 (1994)). For reovirus, it was shown that transfection of cells with a combination of SSRNA, dsRNA and *in vitro* translated reovirus products generated infectious reovirus when complemented with a helper virus from a different serotype (Roner, M.R., et al., *Virology*, 179, 845-852 (1990)). However, to date, there has been no  
30 report of a recovered infectious virus of segmented dsRNA genome from synthetic RNAs only.

### Summary of the Invention

This invention relates to the infectious bursal disease virus (IBDV) that is associated with Gumboro disease of young chickens. More particularly, this invention relates to a system for the generation of infectious bursal disease virus (IBDV) using synthetic transcripts derived from cloned cDNA. The present invention will facilitate studies of the regulation of viral gene expression, pathogenesis and design of a new generation of live and inactivated vaccines.

### Detailed Description of the Invention

In an effort to develop a reverse genetics system for IBDV, three independent full-length cDNA clones which contain segment A of serotype I strain D78 or serotype II strain 23/82 and segment B of the serotype I strain P2, respectively, were constructed. Synthetic RNAs of segments A and B were produced by *in vitro* transcription reaction on linearized plasmids with T7 RNA polymerase. Transcripts of these segments, either untreated or treated with DNase or RNase, were evaluated for the generation of infectious virus by transfection of Vero cells.

The present inventors have demonstrated that synthetic transcripts derived from cloned DNA corresponding to the entire genome of a segmented dsRNA animal virus can give rise to a replicating virus. The recovery of infectious virus after transfecting cells with synthetic plus-sense RNAs derived from cloned cDNA of a virus with a dsRNA genome (IBDV) completes the quest of generating reverse infectious systems for RNA viruses. A number of investigators have generated infectious animal RNA viruses from cloned cDNA (Boyer, J.C., et al., *Virology*, 198, 415-426 (1994)). Van der Werf et al. were first to generate poliovirus, a plus-stranded RNA virus, using synthetic RNA produced by T7 RNA polymerase on cloned cDNA template (van der Werf, S., et al., *Proc. Natl. Acad. Sci. USA*, 83, 2330-2334 (1986)). later, Enami et al. rescued influenza virus, a segmented negative-stranded RNA virus (Enami, M., et al., *Proc. Natl. Acad. Sci. USA*, 87, 3802-3805 (1990)); and Schnell et al. generated rabies virus, a non-segmented negative-stranded RNA virus, from cloned cDNAs of their respective genomes (Schnell, M.J., et

al., *EMBO J.*, 13, 4195-4205 (1994)). Roner et al. developed an infectious system for a segmented dsRNA reovirus by transfecting cells with a combination of synthetic ssRNA, dsRNA, *in vitro* translated reovirus products, and complemented with a helper virus of different serotype (Roner, M.R., et al., *Virology*, 179, 845-852 (1990)). The resulting virus was discriminated from the helper virus by plaque assay. However, in this system the use of a helper virus was necessary. In contrast, the presently described reverse genetics system of IBDV does not require a helper virus or other viral proteins. Transfection of cells with plus-sense RNAs of both segments was sufficient to generate infectious virus (IBDV). The fate of the additional one or four nucleotides, respectively, transcribed at the 3'-end of segment A was not determined. However, this did not prevent the replication of the viral dsRNA. Similar effects were observed for plus-stranded RNA viruses by different investigators (Boyer, J.C., et al., *Virology*, 198, 415-426 (1994)).

Transfection of plus-sense RNAs of both segments into the same cell was necessary for the successful recovery of IBDV. Transfected RNAs of both segments had to be translated by the cellular translation machinery. The polyprotein of segment A was presumably processed into VP2, VP3 and VP4 proteins which form the viral capsid. The translated protein VP1 of segment B probably acted as a RNA-dependent RNA polymerase and transcribed minus-strands from synthetic plus-strands of both segments, and the reaction products formed dsRNA. Recently, Dobos reported that *in vitro* transcription by the virion RNA-dependent RNA polymerase of infectious pancreatic necrosis virus (IPNV), a prototype virus of the *Bimaviridae* family, is primed by VP1 and then proceeds via an asymmetric, semiconservative, strand-displacement mechanism to synthesize only plus strands during replication of the viral genome (Dobos, P., *Virology*, 208, 10-25 (1995)). The present system shows that synthesis of minus-strands proceeds on the plus-strands. Whether the resulting transcribed minus-strand RNA serves as a template for the transcription of plus-strands or not remains the subject of further investigation.

To prove that the infectious IBDV contained in the supernatants of transfected cells was indeed derived from the synthetic transcripts, an artificial chimera was generated containing segment A of a serotype II strain and segment B of a serotype I strain. Sequence analysis verified this genome combination. The results also indicate that the terminal sequence motifs described by Mundt and Müller are probably responsible for replication, sorting and packaging of the viral genome (Mundt, E. et al., *Virology*, 209, 10-18 (1995)). Presence of serotype-specific terminal sequences obviously does not prevent proper replication of serotype II A segment by the action of the RNA-dependent RNA polymerase VP1 of the serotype I segment B. The ability to create recombinant viruses will greatly help in analyzing the precise function of serotype-specific and serotype-common terminal sequences.

The recovery of infectious IBDV demonstrates that only the plus-strand RNAs of both segments are sufficient to initiate replication of dsRNA. Thus, the results are in agreement with the general features of reovirus and rotavirus replication where the plus-strand RNAs serve as a template for the synthesis of progeny minus-strands to yield dsRNA (Schonberg, M., et al., *Proc. Natl. Acad. Sci.* Patton, J.T., *Virus Res.*, 6, 217-233 (1986); Chen, D., et al., *J. Virol.*, 68, 7030-7039 (1994)). However, the semiconservative, strand displacement mechanisms proposed by Spies et al. and Dobos could not be excluded (Spies, U., et al., *Virus Res.*, 8, 127-140 (1987); Dobos, P., *Virology*, 208, 10-25 (1995)). The development of a reverse genetics system for IBDV will greatly facilitate future studies of gene expression, pathogenesis, and help in the design of new generations of live and inactivated IBDV vaccines.

As used in the present application, the term "synthetic" as applied to nucleic acids indicates that it is a man made nucleic acid in contrast to a naturally occurring nucleic acid. The term implies no limitation as to the method of manufacture, which can be chemical or biological as long as the method of manufacture involves the intervention of man.

The term "cDNA" is intended to encompass any cDNA containing segments A and B and the 5' and 3' noncoding regions of segments A and B.



The term "infectious" as applied to viruses indicates that the virus has the ability to reproduce. The virus can be pathogenic or nonpathogenic and still be infectious.

5 The present invention provides a system for the generation of infectious bursal disease virus using synthetic RNA transcripts. This system can be used to study the regulation of viral gene expression, pathogenesis, and for the design of a new generation of live and inactivated IBDV vaccines.

10 The present invention provides a recombinant vector containing at least one copy of the cDNA according to the present invention. The recombinant vector may also comprise other necessary sequences such as expression control sequences, markers, amplifying genes, signal sequences, promoters, and the like, as is known in the art. Useful vectors for this purpose are plasmids, and viruses such as baculoviruses, herpes virus (HVT) and pox viruses, e.g., fowl pox virus, and the like.

15 Also provided herein is a host cell transformed with the recombinant vector of the present invention or a host cell transfected with the synthetic RNA of the present invention. The host cell may be a eukaryotic or a prokaryotic host cell. Suitable examples are *E. coli*, insect cell lines such as Sf-9, chicken embryo fibroblast (CEF) cells, chicken embryo kidney (CEK) cells, African green monkey Vero cells and the like.

20 Also part of this invention is an IBDV poultry vaccine comprising a poultry protecting amount of a recombinantly produced virus or portion of a virus, wherein the virus is inactivated or modified such that it is no longer virulent.

25 The virus can be inactivated by chemical or physical means. Chemical inactivation can be achieved by treating the virus with, for example, enzymes, formaldehyde,  $\beta$ -propiolactone, ethylene-imine or a derivative thereof, an organic solvent (e.g. halogenated hydrocarbon) and or a detergent. If necessary, the inactivating substance can be neutralized after the virus has been inactivated. Physical inactivation can be carried out by subjecting the  
30 viruses to radiation such as UV light, X-radiation, or  $\gamma$ -radiation.

The virus can be attenuated by known methods including serial passage, deleting sequences of nucleic acids and site directed mutagenesis either before or after production of the infectious virus to produce a virus which retains sufficient antigenicity but which has reduced virulence.

5           Physiologically acceptable carriers for vaccination of poultry are known in the art and need not be further described herein. In addition to being physiologically acceptable to the poultry the carrier must not interfere with the immunological response elicited by the vaccine and/or with the expression of its polypeptide product.

10           Other additives, such as adjuvants and stabilizers, among others, may also be contained in the vaccine in amounts known in the art. Preferably, adjuvants such as aluminum hydroxide, aluminum phosphate, plant and animal oils, and the like, are administered with the vaccine in amounts sufficient to enhance the immune response to the IBDV. The amount of  
15           adjuvant added to the vaccine will vary depending on the nature of the adjuvant, generally ranging from about 0.1 to about 100 times the weight of the IBDV, preferably from about 1 to about 10 times the weight of the IBDV.

          The vaccine of the present invention may also contain various stabilizers. Any suitable stabilizer can be used including carbohydrates such  
20           as sorbitol, mannitol, starch, sucrose, dextrin, or glucose; proteins such as albumin or casein; and buffers such as alkaline metal phosphate and the like. A stabilizer is particularly advantageous when a dry vaccine preparation is prepared by lyophilization.

          The vaccine can be administered by any suitable known method of  
25           inoculating poultry including nasally, ophthalmically, by injection, in drinking water, in the feed, by exposure, and the like. Preferably, the vaccine is administered by mass administration techniques such as by placing the vaccine in drinking water or by spraying the animals' environment. When administered by injection, the vaccines are preferably administered  
30           parenterally. Parenteral administration as used herein means administration by intravenous, subcutaneous, intramuscular, or intraperitoneal injection.

The vaccine of the present invention is administered to poultry to prevent IBD anytime before or after hatching. Preferably, the vaccine is administered prior to the time of birth and after the animal is about 6 weeks of age. Poultry is defined to include but not be limited to chickens, roosters, hens, broilers, roasters, breeders, layers, turkeys and ducks.

The vaccine may be provided in a sterile container in unit form or in other amounts. It is preferably stored frozen, below  $-20^{\circ}\text{C}$ , and more preferably below  $-70^{\circ}\text{C}$ . It is thawed prior to use, and may be refrozen immediately thereafter. For administration to poultry the recombinantly produced virus may be suspended in a carrier in an amount of about  $10^4$  to  $10^7$  pfu/ml, and more preferably about  $10^5$  to  $10^6$  pfu/ml in a carrier such as a saline solution. The inactivated vaccine may contain the antigenic equivalent of  $10^4$  to  $10^7$  pfu/ml suspended in a carrier. Other carriers may also be utilized as is known in the art. Examples of pharmaceutically acceptable carriers are diluents and inert pharmaceutical carriers known in the art. Preferably, the carrier or diluent is one compatible with the administration of the vaccine by mass administration techniques. However, the carrier or diluent may also be compatible with other administration methods such as injection, eye drops, nose drops, and the like.

The invention also can be used to produce combination vaccines with the IBDV material. The IBDV material can be combined with antigen material of Newcastle Disease Virus Infectious Bronchitis virus, Reo virus, Adeno virus and/or the Marek virus.

The foregoing embodiments of the present invention are further described in the following Examples. However, the present invention is not limited by the Examples, and variations will be apparent to those skilled in the art without departing from the scope of the present invention.

#### Brief Description of the Drawings

Figure 1 is a schematic diagram of cDNA constructs used for synthesis of plus-sense ssRNAs of IBDV with T7 RNA polymerase. Construct pUC19FLAD78 contains the cDNA of segment A of IBDV strain D78 and the recombinant plasmid pUC18FLA23 contains the full-length cDNA of segment

A of IBDV strain 23/82. Segment A of IBDV encodes the polyprotein (VP2-VP4-VP3), and the recently identified VP5 protein. Plasmid pUC18FLBP2 contains the cDNA of segment B of strain P2 which encodes the RNA-dependent RNA polymerase (VP1). Virus specific sequences are underlined and the T7 promoter sequences are italicized. Restriction sites are shown in boldface and identified. The cleavage sites of the linearized plasmids are shown by vertical arrows and the transcription directions are marked by horizontal arrows.

Figure 2 shows an agarose gel analysis of the transcription reaction products that were used for transfection of Vero cells. Synthetic RNAs transcribed *in vitro* using T7 RNA polymerase and linearized plasmids pUC19FLAD78 (lanes 2, 4 and 6) containing the cDNA of segment A of IBDV strain D78, and pUC18FLBP2 (lanes 1, 3 and 5) containing the cDNA of segment B of strain P2, respectively. After transcription, the reaction mixtures were either treated with DNase (lanes 1 and 2), RNase (lanes 3 and 4) or left untreated (lanes 5 and 6). Two  $\mu$ l of the reaction products were analyzed on 1% agarose gel. Lambda DNA, digested with *Hind* III/*Eco*R I, was used as markers (lane M).

Figure 3 shows a comparison of nucleotide sequences of cloned RT-PCR fragments from segments A and B of the chimeric IBDV strain 23A/P2B (bold-typed) with known sequences of segments A and B of serotype II strain 23/82 and serotype I strain P2, respectively. Nucleotide identities are marked by a colon.

Figure 4 shows the DNA sequence of pUC18FLA23.

Figure 5 shows the DNA sequence of pUC19FLAD78.

Figure 6 shows the DNA sequence of pUC18FLBP2.

### EXAMPLES

**Viruses and Cells.** Two serotype I strains of IBDV, the attenuated P2 strain from Germany and the vaccine strain D78 (Intervet International), and one serotype II strain, the apathogenic 23/82 strain, were propagated in chicken embryo cells (CEC) and purified (Mundt, E. et al., *Virology*, 209, 10-18 (1995); Vakharia, V.N., et al., *Virus Res.*, 31, 265-273 (1994)). Vero cells

were grown in M199 medium supplemented with 5% fetal calf serum (FCS) and used for transfection experiments. Further propagation of the recovered virus and immunofluorescence studies were carried out in Vero cells (Mundt, E., et al., *J. Gen. Virol.*, 76, 437-443, (1995)). For plaque assay, monolayers of secondary CEC were prepared and used (Müller, H., et al., *Virus Res.*, 4, 297-309 (1986)).

**Construction of Full-Length cDNA Clones of IBDV genome.** Full-length cDNA clones of IBDV segments A and B were independently prepared. The cDNA clones containing the entire coding region of the RNA segment A of strain D78 were prepared using standard cloning procedures and methods (Vakharia, V.N., et al., *Virus Res.*, 31, 265-273 (1994)). By comparing the D78 terminal sequences with recently published terminal sequences of other IBDV strains (Mundt, E. et al., *Virology*, 209, 10-18 (1995)), it was observed that D78 cDNA clones lacked the conserved first 17 and last 10 nucleotides at the 5'- and 3'-ends, respectively. Therefore, to construct a full-length cDNA clone of segment A, two primer pairs (A5'-D78, A5-IPD78 and A3'-IPD78) were synthesized and used for PCR amplification (Table 1). The DNA segments were amplified according to the protocol of the supplier (New England Biolabs) using "Deep Vent Polymerase" (high fidelity thermophilic DNA polymerase). Amplified fragments were cloned into the *EcoR* I site of a pCRII vector (Invitrogen Corp.) to obtain plasmids pCRD78A5' and pCRD78A3', respectively. Each plasmid was digested with *EcoR* I and *Sal* I and the resultant fragments were ligated into *EcoR* I digested pUC19 to obtain plasmid pUC19FLAD78 (SEQ ID NOS:27 AND 29) which now contains a full-length cDNA copy of segment A encoding all the structural proteins (VP2, VP4 and VP3, SEQ ID NO:30) as well as the non-structural VP5 protein (SEQ ID NO:28) (Fig. 1).

Two primer pairs (A5'-23, A5IP23 and A3'-23, A3-IP23; see Table 1) were used for reverse transcription (RT) of viral genomic dsRNA of strain 23/82 using "SuperScript RT II" (RNA directed DNA polymerase with reduced RNase H activity, GIBCO/BRL). The RT reaction products were purified by phenol/chloroform extraction and ethanol precipitation. To obtain two cDNA

fragments bounded by primer pairs A5'-23, A5-IP23 and A3'-23, A3-IP23, respectively, RT reaction products were amplified by PCR using "Deep Vent polymerase". Both RT and PCR were carried out according to the supplier's protocol. Resulting PCR fragments were blunt-end ligated into *Sma* I cleaved pUC18 vector to obtain pUC23A5' and pUC23A3'. The 3'-end of segment A contained in plasmid pUC23A3' was ligated into the *Hind* III-*Bst* B I cleaved plasmid pUC23A5' to establish the full-length cDNA of segment A of strain 23/82. The resulting plasmid was termed pUC18FLA23 (SEQ ID NOS: 31 AND 33)(Fig. 1) and encodes structural proteins VP2, VP3 and VP4 (SEQ ID NO: 32) and non-structural protein VP5 (SEQ ID NO: 34)

To obtain cDNA clones of segment B of P2 strain, two primer pairs (B5'-P2, B5-IPP2 and B3'-P2, B3-IPP2) were designed according to the published sequences and used for RT-PCR amplification (see Table 1). Using genomic dsRNA as template, cDNA fragments were synthesized and amplified according to the supplier's protocol (Perkin-Elmer Cetus). Amplified fragments were blunt-end ligated into *Sma* I cleaved pBS vector (Stratagene) to obtain clones pBSP2B5' and pBSP2B3'. To construct a full-length clone of segment B, the 5'-end fragment of plasmid pBSP2B5' was first subcloned between *Eco*R I and *Pst* I sites of pUC18 vector to obtain pUCP2B5'. Then the 3'-end fragment of plasmid pBSP2B3' was inserted between the unique *Bgl* II and *Pst* I sites of plasmid pUCP2B5' to obtain a full-length plasmid pUC18FLBP2 (SEQ ID NO:25) which encodes the VP1 protein (SEQ ID NO: 26) (Fig. 1). Plasmids pUC18FLBP2, pUC18FLA23 and pUC19FLAD78 were completely sequenced by using the "Sequenase" DNA sequencing system (U.S. Biochem.), and the sequence data were analyzed using either "DNASIS" (Pharmacia) or "PC/Gene" (Intelligenetics) software. The integrity of the full-length constructs was tested by *in vitro* transcription and translation coupled reticulocyte lysate system using T7 RNA polymerase (Promega).

**Transcription and Transfection of Synthetic RNAs.** Plasmids pUC19FLAD78, pUC18FLA23 and pUC18FLBP2 were digested with *Bsr*G I, *Nsi* I and *Pst* I enzymes (see Fig. 1), respectively, and used as templates for *in vitro* transcription with T7 RNA polymerase (Promega). Briefly, restriction

enzyme cleavage assays were adjusted to 0.5% SDS and incubated with proteinase K (0.5 mg/ml) for 1 hour at 37°C. The linearized DNA templates (~3 µg) were recovered after ethanol precipitation, and were added separately to a transcription reaction mixture (50 µl) containing 40 mM Tris-HCl (pH 7.9),  
 5 10 mM NaCl, 6 mM MgCl<sub>2</sub>, 2 mM spermidine, 0.5 mM ATP, CTP and UTP each, 0.1 mM GTP, 0.25 mM cap analog [m7G(5') PPP(5') G], 120 units of "RNasin" (ribonuclease inhibitor), 150 units T7 RNA polymerase (Promega), and incubated at 37°C for 1 hour. Synthetic RNA transcripts were purified by phenol/chloroform extraction and ethanol precipitation. As controls, the  
 10 transcription products were treated with either DNase or RNase (Promega) before the purification step.

Vero cells were grown to 80% confluence in 60 mm dishes and washed once with phosphate-buffered saline (PBS). Three ml of "OPTI-MEM I" (reduced serum medium containing HEPES buffer, sodium bicarbonate,  
 15 hypoxanthine, thymidine, sodium pyruvate, L-glutamine, trace elements, growth factors and phenol red; from GIBCO/BRL) were added to the monolayers, and the cells were incubated at 37°C for 1 hour in a CO<sub>2</sub> incubator. Simultaneously, 0.15 ml of "OPTI-MEM I" was incubated with 1.25 µg of "Lipofectin" reagent (N-[1-(2,3-dioleoyloxy)propyl]-N,N,N-trimethylammonium chloride and dioleoylphosphatidylethanolamine,  
 20 GIBCO/BRL) for 45 min. in a polystyrene tube at room temperature. Synthetic RNA transcripts of both segments, resuspended in 0.15 ml of diethyl pyrocarbonate-treated water, were added to the OPTI-MEM-Lipofectin-mixture, mixed gently, and incubated on ice for 5 min. After removing the  
 25 "OPTI-MEM" from the monolayers in 60 mm dishes and replacing with fresh 1.5 ml of "OPTI-MEM", the nucleic acid containing mixture was added drop-wise to the Vero cells and swirled gently. After 2 hours of incubation at 37°C, the mixture was replaced with M199 medium [CaCl<sub>2</sub> (anhydrous), Fe(NO<sub>3</sub>)<sub>3</sub> 9H<sub>2</sub>O, KCl, MgSO<sub>4</sub> (anhydrous), NaCl, NaH<sub>2</sub>PO<sub>4</sub>·H<sub>2</sub>O, NaHCO<sub>3</sub>, L-Alanine, L-Arginine HCl, L-Aspartic acid, L-Cysteine HCl H<sub>2</sub>O, L-Cysteine 2HCl, L-Glutamic acid, L-Glutamine, Glycine, L-Histidine HCl H<sub>2</sub>O, L-Hydroxyproline,  
 30 L-Isoleucine, L-Leucine, L-Lysine HCl, L-Methionine, L-Phenylalanine, L-

Proline, L-Serine, L-Threonine, L-Tryptophan, L-Tyrosine 2Na 2H<sub>2</sub>O, L-Valine, Alpha tocopherol PO<sub>4</sub> Na<sub>2</sub>, Ascorbic Acid, Biotin, Calciferol, D-Calcium pantothenate, Choline chloride, Folic acid, I-Inositol, Menandione NaHSO<sub>3</sub> 3H<sub>2</sub>O, Niacin, Nicotinamide, Para-aminobenzoic acid, Pyridoxine HCl, Riboflavin, Thiamine HCl, Vitamin A Acetate, Adenine SO<sub>4</sub>, Adenylic Acid, ATP, Na<sub>2</sub>, Cholesterol, 2-Deoxy-D-Ribose, D-Glucose, Glutathione, Guanine HCl, Hypoxanthine Na, Phenol Red Na, Ribose, Sodium Acetate (anhydrous), Thymine, Tween 80, Uracil, and Xanthine Na; from Mediatech, Inc.] containing 5% FCS (without rinsing cells) and the cells were further incubated at 37°C for desired time intervals.

**Identification of Generated IBDV.** CEC were infected with filtered (0.2 µm) supernatant from Vero cells transfected with transcripts of pUC18FLA23 and pUC18FLP2B. 16 hours post-infection, the whole cell nucleic acids were isolated (Mundt, E. et al., *Virology*, 209, 10-18 (1995)). Primers were designed according to the published sequences and RT-PCR fragments were amplified, cloned and sequenced (Mundt, E. et al., *Virology*, 209, 10-18 (1995)). Sequence data were analyzed by using "DNASIS" software.

**Immunofluorescence.** Vero cells, grown on cover slips to 80% confluence, were infected with the supernatants derived from transfected Vero cells (after freeze-thawing) and incubated at 37°C for two days. The cells were then washed, fixed with acetone and treated with polyclonal rabbit anti-IBDV serum. After washing, the cells were treated with fluorescein labeled goat-anti-rabbit antibody (Kirkegaard & Perry Lab.) and examined by fluorescence microscope.

**Plaque Assay.** Monolayers of secondary CEC, grown in 60 mm dishes, were inoculated with the supernatants derived from transfected Vero cells. After 1 hour of infection, the cells were washed once with PBS and overlayed with 0.8% Agar noble (Difco) containing 10% tryptose phosphate broth, 2% FCS, 0.112% NaHCO<sub>3</sub>, 10<sup>3</sup> units penicillin, 10<sup>3</sup> µg/ml streptomycin, 0.25 µg/ml fungizone, 0.005% neutral red, 0.0015% phenol red. The cells



were incubated at 37°C for 2 to 3 days until plaques could be observed and counted (Müller, H., et al., *Virus Res.*, 4, 297-309 (1986)).

**Construction of Full-Length cDNA clones of IBDV Genome.** To develop a reverse genetics system for the dsRNA virus IBDV, two independent cDNA clones were constructed that contain segment A of strain D78 and segment B of strain P2 (Fig. 1). Each plasmid encoded either the precursor of structural proteins (VP2, VP4, VP3) and VP5 or only VP1 protein (RNA-dependent RNA polymerase). Plasmid pUC18FLBP2 upon digestion with *Pst* I and transcription *in vitro* by T7 RNA polymerase, would yield RNA containing the correct 5'- and 3'-ends. Whereas, upon digestion with *Bsr*G I and transcription, plasmid pUC19FLAD78 would yield RNA containing the correct 5'-end but with additional four nucleotides at the 3'-end. Coupled transcription and translation of the above plasmids in a rabbit reticulocyte system yielded protein products that were correctly processed and comigrated with the marker IBDV proteins after fractionating on SDS-polyacrylamide gel and autoradiography (data not shown).

#### **Transcription, Transfection and Generation of Infectious Virus.**

Plus-sense transcripts of IBDV segment A and B were synthesized separately *in vitro* with T7 RNA polymerase using linearized full-length cDNA plasmids as templates (see Fig. 2). Although two species of RNA transcripts were observed for segment B on a neutral gel (lanes 1 and 5), fractionation of these samples on a denaturing gel yielded only one transcript-specific band (data not shown). In order to show that plus-sense RNA transcripts of both segments are needed for the generation of infectious virus, the transcription mixtures were incubated with different nucleases, as shown in Fig. 2. Synthetic RNAs recovered after treating the transcription products with DNase (lanes 1+2), RNase (lanes 3+4) or without treatment (lanes 5+6), were used for the transfection of Vero cells. As mock control, Lipofectin alone was used. Five days post-transfection, cytopathic effect (CPE) was only visible in Vero cells transfected with combined transcripts of untreated or DNase-treated transcription products, but not with RNase-treated transcription mixtures or

mock-transfected control. In addition, no CPE was detected when Vero cells were transfected with RNA of only segment A or B (data not shown). These results demonstrate that replication of IBDV ensued after transfection of Vero cells with plus-sense ssRNAs of both segments of IBDV. To verify that the agent causing the CPE in Vero cells was indeed IBDV, transfected Vero cells were freeze-thawed, and supernatants were clarified by centrifugation, and used to infect CEC or Vero cells. CEC infected with the supernatants derived from Vero transfected cells of untreated or DNase-treated transcription mixtures produced CPE in one day post-inoculation (Table 2). However, no CPE could be detected even after five days in CEC, with the supernatants from transfected Vero cells of RNase-treated transcription mixtures, untreated segment A or B transcription mixtures and mock-transfected Vero cells. Similarly, when Vero cells on cover slips were infected with the same supernatants as described above and examined by immunofluorescence staining after 2 days, only supernatants derived from transfected Vero cells of untreated or DNase-treated transcription mixtures gave positive immunofluorescence signal (Table 2).

**Recovery of Transfectant Virus.** To determine the time point for the recovery of infectious virus, Vero cells were transfected with combined RNA transcripts of segments A and B. At 4, 8, 16, 24, 36 and 48 hours post-transfection, the supernatants were examined for the presence of transfectant virus by infectivity and plaque assays, as shown in Table 3. Our results indicate that the virus could be recovered as early as 36 hours after transfection. Virus titer was  $2.3 \times 10^2$  pfu/ml which appear to drop for samples obtained later than 48 hours after transfection.

**Generation of a Chimeric Virus.** To prove that plus-sense ssRNA of both segments of IBDV are sufficient for recovery of infectious virus, a chimeric IBDV was generated. Plasmid pUC18FLA23 containing a full-length sequence of segment A of serotype II strain was linearized by *Nsi* I digestion and ssRNA was synthesized *in vitro* using T7 RNA polymerase. The ssRNA transcript specifies the correct 5'-end but contains one additional residue at the 3'-end (Fig. 1). Vero cells were transfected with ssRNA of segment A of

serotype II strain 23/82 and ssRNA of segment B of serotype I strain P2. Five days after transfection when CPE was evident, the supernatant was clarified (after freeze-thawing) and used to infect CEC. After a second passage in CEC, genomic RNA of the virus was analyzed by RT-PCR and sequencing of the PCR products. Primers for segment A were designed to specifically amplify only segment A sequences derived from the serotype II strain. Primer for segment B bound to sequences of both serotypes. The amplified fragments were cloned and sequenced. The obtained segment A sequences showed a perfect match with known segment A sequences of serotype II strain 23/82, whereas segment B sequence exhibited complete homology to published segment B sequences of serotype I strain P2 (Fig. 3).

Table 1. Oligonucleotides Used for the Construction of Full Length cDNA Clones of IBDV Genomic Segments A and B.

Nucleotide Sequence	Orientation	Name	Nucleotide Number
<u>TAATACGACTCACTATAGGATACGATCGGCTCTGACCCCGGGGAGTCA</u>	(+)	A5'-D78	1-31
AGAGAAATTCTAAATACGACTCACTATAGGATACGATCGGCTCTGAC	(+)	A5'-23	1-48
<u>TGTACAGGGGACCCGCGAACGGATCCAATT</u>	(-)	A3'-D78	3237-3261
CGGCGAATTCATGCATAGGGGACCCGCGAACGGATC	(-)	A3'-23	3242-3261
<u>CGTCGACTACGGGATTCIGG</u>	(-)	A5-IPD78	1711-1730
<u>CAGAGGCAGTACICCGTCTG</u>	(-)	A5-IP23	1971-1990
<u>AGTCGACGGGATTCCTGCTT</u>	(+)	A3-IPD78	1723-1742
<u>GAAGGTGTGCGAGAGGAC</u>	(+)	A3-IP23	1883-1900
AGAGAAATTCATAACGACTCACTATAGGATACGATGGGCTCTGAC	(+)	B5'-P2	1-18
CGATCTGCTGCAGGGGGCCCCCGCAGGCGAAGG	(-)	B3'-P2	2807-2827
<u>CTTGAGACTCTTGTTCTCTACICG</u>	(-)	B5-IPP2	1915-1938
<u>ATACAGCAAAGATCTCGGG</u>	(+)	B3-IPP2	1839-1857

Composition and location of the oligonucleotide primers used for cloning. T7 promoter sequences are marked with italic types, the virus specific sequences are underlined, and the restriction sites marked in boldface. Orientation of the virus specific sequence of the primer is shown for sense (+) and antisense (-). The positions where the primers bind (nucleotide number) are according to the published sequences of P2 strain (2).

**Table 2.** Generation of Infections IBDV From Synthetic RNAs of Segment A and B.

Material Transfected	CPE	Immunofluorescence
ssRNA A+B, DNase-treated	+	+
ssRNA A+B, RNase-treated	-	-
ssRNA A+B, untreated	+	+
ssRNA A, untreated	-	-
ssRNA B, untreated	-	-
Lipofectin only	-	-

Vero cells were transfected with synthetic RNAs of segment A and B derived from transcription reactions that were either untreated or treated with DNase or RNase. After 5 days, the supernatants were collected, clarified by centrifugation, and analyzed for the presence of virus. The infectivity of the recovered virus was determined in CEC by the appearance of cytopathic effect (CPE) 1-2 days post-inoculation. The specificity of the recovered virus was determined by immunofluorescence staining of infected Vero cells with rabbit anti-IBDV serum.

**Table 3. Recovery of Virus at Various Times Post-Transfection.**

Time in hours post-transfection	CPE	Immunofluorescence	pfu/ml
4	-	-	0
8	-	-	0
16	-	-	0
24	-	-	0
36	+	+	$2.3 \times 10^2$
48	+	+	$6.0 \times 10^1$

Vero cells were transfected with synthetic RNAs of segment A and B as described. The infectivity and specificity of the recovered virus was detected by CPE in CEC and immunofluorescence staining in Vero cells, respectively. Monolayers of secondary CEC were used for plaque assay after inoculating the cells with the supernatants derived from transfected Vero cells. Approximate titer of the virus was calculated as plaque forming units per ml (pfu/ml).

## SEQUENCE LISTING

## (1) GENERAL INFORMATION:

(i) APPLICANT: VAKHARIA, Vikram N.  
MUNDT, Egbert

(ii) TITLE OF INVENTION: A METHOD FOR GENERATING BIRNAVIRUS  
FROM SYNTHETIC RNA TRANSCRIPTS

(iii) NUMBER OF SEQUENCES: 34

## (iv) CORRESPONDENCE ADDRESS:

(A) ADDRESSEE: NIKAIDO, MARMELESTEIN, MURRAY & ORAM LLP  
(B) STREET: 655 Fifteenth Street, N. W., Suite 330 -  
G Street Lobby  
(C) CITY: Washington  
(D) STATE: DC  
(E) COUNTRY: USA  
(F) ZIP: 20005-5701

## (v) COMPUTER READABLE FORM:

(A) MEDIUM TYPE: Floppy disk  
(B) COMPUTER: IBM PC compatible  
(C) OPERATING SYSTEM: PC-DOS/MS-DOS  
(D) SOFTWARE: PatentIn Release #1.0, Version #1.30

## (vi) CURRENT APPLICATION DATA:

(A) APPLICATION NUMBER: US  
(B) FILING DATE:  
(C) CLASSIFICATION:

## (viii) ATTORNEY/AGENT INFORMATION:

(A) NAME: KITTS, Monica C.  
(B) REGISTRATION NUMBER: 36,105  
(C) REFERENCE/DOCKET NUMBER: P8172-6002

## (ix) TELECOMMUNICATION INFORMATION:

(A) TELEPHONE: 202/638-5000  
(B) TELEFAX: 202/638-4810

## (2) INFORMATION FOR SEQ ID NO:1:

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 46 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: circular

(ii) MOLECULE TYPE: cDNA

22

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

GAATTCGGCT TTAATACGAC TCACTATAGG ATACGATCGG TCTGAC

46

(2) INFORMATION FOR SEQ ID NO:2:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 41 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: circular

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

AATTGGATCC GTTCGCGGGT CCCCTGTACA AAGCCGAATT C

41

(2) INFORMATION FOR SEQ ID NO:3:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 36 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: circular

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

CGGCGAATTC ATGCATAGGG GACCCGCGAA CGGATC

36

(2) INFORMATION FOR SEQ ID NO:4:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 44 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: circular

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

GTCAGACCGA TCGTATCCTA TAGTGAGTCG TATTAGAATT CTCT

44

(2) INFORMATION FOR SEQ ID NO:5:



23

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 33 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: circular

- (ii) MOLECULE TYPE: cDNA

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

TTGCATGCCT GCAGGGGGCC CCCGCAGGCG AAG

33

- (2) INFORMATION FOR SEQ ID NO:6:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 31 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: circular

- (ii) MOLECULE TYPE: cDNA

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

TCGTATCCTA TAGTGAGTCG TATTAGAATT C

31

- (2) INFORMATION FOR SEQ ID NO:7:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 120 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

- (ii) MOLECULE TYPE: DNA

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

GGAAGCCTGA GTGAGTTGAC TGACTACAGC TACAACGGGC TGATGTCAGC CACTGCCAAC

60

ATCAACGACA AGATCGGGAA CGTTCTAGTT GGAGAAGGGG TGACTGTTCT CAGTCTACCG

120

- (2) INFORMATION FOR SEQ ID NO:8:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 120 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

GGAAGCCTGA GTGAGTTGAC TGACTACAGC TACAACGGGC TGATGTCAGC CACTGCGAAC 60  
ATCAACGACA AGATCGGGAA CGTTCTAGTT GGAGAAGGGG TGACTGTTCT CAGTCTACC 119

(2) INFORMATION FOR SEQ ID NO:9:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 120 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

GGAAGCCTGA GTGAACTGAC AGATGTTAGC TACAATGGGT TGATGTCTGC AACAGCCAAC 60  
ATCAACGACA AAATTGGGAA CGTCCTAGTA GGGGAAGGGG TCACCGTCCT CAGCTTACCC 120

(2) INFORMATION FOR SEQ ID NO:10:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 120 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

TTTTCAATAG TCCACAGGCG CGAACGAAGA TCTCAGCAGC GTTCGGCATA AAGCCTACTG 60  
CTGGACAAGA CGTGGAAGAA CTCTTGATCC CCAAAGTCTG GGTGCCACCT GAGGATCCGC 120

(2) INFORMATION FOR SEQ ID NO:11:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 120 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

TTTTCAACAG TCCACAGGCG CGAAGCACGA TCTCAGCAGC GTTCGGCATA AAGCCTACTG 60  
CTGGACAAGA CGTGGAAGAA CTCTTGATCC CTAAAGTTTG GGTGCCACCT GAGGATCCGC 120

(2) INFORMATION FOR SEQ ID NO:12:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 120 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

TTTTCAACAG TCCACAGGCG CGAAGCACGA TCTCAGCAGC GTTCGGCATA AAGCCTACTG 60  
CTGGACAAGA CGTGGAAGAA CTCTTGATCC CTAAAGTTTG GGTGCCACCT GAGGATCCGC 120

(2) INFORMATION FOR SEQ ID NO:13:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 48 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

TAATACGACT CACTATAGGA TACGATCGGT CTGACCCCGG GGGAGTCA 48

(2) INFORMATION FOR SEQ ID NO:14:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 44 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

AGAGAATTCT AATACGACTC ACTATAGGAT ACGATCGGTC TGAC

44

(2) INFORMATION FOR SEQ ID NO:15:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 30 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

TGTACAGGGG ACCCGCGAAC GGATCCAATT

30

(2) INFORMATION FOR SEQ ID NO:16:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 36 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

CGGCGAATTC ATGCATAGGG GACCCGCGAA CGGATC

36

(2) INFORMATION FOR SEQ ID NO:17:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 20 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:

CGTCGACTAC GGGATTCTGG

20

(2) INFORMATION FOR SEQ ID NO:18:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 20 base pairs

27

- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:

CAGAGGCAGT ACTCCGTCTG

20

(2) INFORMATION FOR SEQ ID NO:19:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 20 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:

AGTCGACGGG ATTCTTGCTT

20

(2) INFORMATION FOR SEQ ID NO:20:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 18 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:20:

GAAGGTGTGC GAGAGGAC

18

(2) INFORMATION FOR SEQ ID NO:21:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 44 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:21:

AGAGAATTCT AATACGACTC ACTATAGGAT ACGATGGGTC TGAC

44

(2) INFORMATION FOR SEQ ID NO:22:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 33 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:

CGATCTGCTG CAGGGGGCCC CCGCAGGCGA AGG

33

(2) INFORMATION FOR SEQ ID NO:23:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 24 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:

CTTGAGACTC TTGTTCTCTA CTCC

24

(2) INFORMATION FOR SEQ ID NO:24:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 19 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:24:

ATACAGCAAA GATCTCGGG

19

(2) INFORMATION FOR SEQ ID NO:25:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 2827 base pairs
  - (B) TYPE: nucleic acid

(C) STRANDEDNESS: single  
(D) TOPOLOGY: circular

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION: 112..2745

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:

GGATACGATG GGTCTGACCC TCTGGGAGTC ACGAATTAAC GTGGCTACTA GGGGCGATAC	60
CCGCCGCTGG CCGCCACGTT AGTGGCTCCT CTTCTTGATG ATTCTGCCAC C ATG AGT	117
Met Ser	
1	
GAC ATT TTC AAC AGT CCA CAG GCG CGA AGC ACG ATC TCA GCA GCG TTC	165
Asp Ile Phe Asn Ser Pro Gln Ala Arg Ser Thr Ile Ser Ala Ala Phe	
5 10 15	
GGC ATA AAG CCT ACT GCT GGA CAA GAC GTG GAA GAA CTC TTG ATC CCT	213
Gly Ile Lys Pro Thr Ala Gly Gln Asp Val Glu Glu Leu Leu Ile Pro	
20 25 30	
AAA GTT TGG GTG CCA CCT GAG GAT CCG CTT GCC AGC CCT AGT CGA CTG	261
Lys Val Trp Val Pro Pro Glu Asp Pro Leu Ala Ser Pro Ser Arg Leu	
35 40 45 50	
GCA AAG TTC CTC AGA GAG AAC GGC TAC AAA GTT TTG CAG CCA CGG TCT	309
Ala Lys Phe Leu Arg Glu Asn Gly Tyr Lys Val Leu Gln Pro Arg Ser	
55 60 65	
CTG CCC GAG AAT GAG GAG TAT GAG ACC GAC CAA ATA CTC CCA GAC TTA	357
Leu Pro Glu Asn Glu Glu Tyr Glu Thr Asp Gln Ile Leu Pro Asp Leu	
70 75 80	
GCA TGG ATG CGA CAG ATA GAA GGG GCT GTT TTA AAA CCC ACT CTA TCT	405
Ala Trp Met Arg Gln Ile Glu Gly Ala Val Leu Lys Pro Thr Leu Ser	
85 90 95	
CTC CCT ATT GGA GAT CAG GAG TAC TTC CCA AAG TAC TAC CCA ACA CAT	453
Leu Pro Ile Gly Asp Gln Glu Tyr Phe Pro Lys Tyr Tyr Pro Thr His	
100 105 110	
CGC CCT AGC AAG GAG AAG CCC AAT GCG TAC CCG CCA GAC ATC GCA CTA	501
Arg Pro Ser Lys Glu Lys Pro Asn Ala Tyr Pro Pro Asp Ile Ala Leu	
115 120 125 130	

CTC AAG CAG ATG ATT TAC CTG TTT CTC CAG GTT CCA GAG GCC AAC GAG Leu Lys Gln Met Ile Tyr Leu Phe Leu Gln Val Pro Glu Ala Asn Glu 135 140 145	549
GGC CTA AAG GAT GAA GTA ACC CTC TTG ACC CAA AAC ATA AGG GAC AAG Gly Leu Lys Asp Glu Val Thr Leu Leu Thr Gln Asn Ile Arg Asp Lys 150 155 160	597
GCC TAT GGA AGT GGG ACC TAC ATG GGA CAA GCA AAT CGA CTT GTG GCC Ala Tyr Gly Ser Gly Thr Tyr Met Gly Gln Ala Asn Arg Leu Val Ala 165 170 175	645
ATG AAG GAG GTC GCC ACT GGA AGA AAC CCA AAC AAG GAT CCT CTA AAG Met Lys Glu Val Ala Thr Gly Arg Asn Pro Asn Lys Asp Pro Leu Lys 180 185 190	693
CTT GGG TAC ACT TTT GAG AGC ATC GCG CAG CTA CTT GAC ATC ACA CTA Leu Gly Tyr Thr Phe Glu Ser Ile Ala Gln Leu Leu Asp Ile Thr Leu 195 200 205 210	741
CCG GTA GGC CCA CCC GGT GAG GAT GAC AAG CCC TGG GTG CCA CTC ACA Pro Val Gly Pro Pro Gly Glu Asp Asp Lys Pro Trp Val Pro Leu Thr 215 220 225	789
AGA GTG CCG TCA CGG ATG TTG GTG CTG ACG GGA GAC GTA GAT GGC GAC Arg Val Pro Ser Arg Met Leu Val Leu Thr Gly Asp Val Asp Gly Asp 230 235 240	837
TTT GAG GTT GAA GAT TAC CTT CCC AAA ATC AAC CTC AAG TCA TCA AGT Phe Glu Val Glu Asp Tyr Leu Pro Lys Ile Asn Leu Lys Ser Ser Ser 245 250 255	885
GGA CTA CCA TAT GTA GGT CGC ACC AAA GGA GAG ACA ATT GGC GAG ATG Gly Leu Pro Tyr Val Gly Arg Thr Lys Gly Glu Thr Ile Gly Glu Met 260 265 270	933
ATA GCT ATC TCA AAC CAG TTT CTC AGA GAG CTA TCA ACA CTG TTG AAG Ile Ala Ile Ser Asn Gln Phe Leu Arg Glu Leu Ser Thr Leu Leu Lys 275 280 285 290	981
CAA GGT GCA GGG ACA AAG GGG TCA AAC AAG AAG AAG CTA CTC AGC ATG Gln Gly Ala Gly Thr Lys Gly Ser Asn Lys Lys Lys Leu Leu Ser Met 295 300 305	1029
TTA AGT GAC TAT TGG TAC TTA TCA TGC GGG CTT TTG TTT CCA AAG GCT Leu Ser Asp Tyr Trp Tyr Leu Ser Cys Gly Leu Leu Phe Pro Lys Ala 310 315 320	1077
GAA AGG TAC GAC AAA AGT ACA TGG CTC ACC AAG ACC CGG AAC ATA TGG Glu Arg Tyr Asp Lys Ser Thr Trp Leu Thr Lys Thr Arg Asn Ile Trp 325 330 335	1125



TCA	GCT	CCA	TCC	CCA	ACA	CAC	CTC	ATG	ATC	TCT	ATG	ATC	ACC	TGG	CCC	1173
Ser	Ala	Pro	Ser	Pro	Thr	His	Leu	Met	Ile	Ser	Met	Ile	Thr	Trp	Pro	
340						345					350					
GTG	ATG	TCC	AAC	AGC	CCA	AAT	AAC	GTG	TTG	AAC	ATT	GAA	GGG	TGT	CCA	1221
Val	Met	Ser	Asn	Ser	Pro	Asn	Asn	Val	Leu	Asn	Ile	Glu	Gly	Cys	Pro	
355					360					365					370	
TCA	CTC	TAC	AAA	TTC	AAC	CCG	TTC	AGA	GGA	GGG	TTG	AAC	AGG	ATC	GTC	1269
Ser	Leu	Tyr	Lys	Phe	Asn	Pro	Phe	Arg	Gly	Gly	Leu	Asn	Arg	Ile	Val	
				375					380					385		
GAG	TGG	ATA	TTG	GCC	CCG	GAA	GAA	CCC	AAG	GCT	CTT	GTA	TAT	GCG	GAC	1317
Glu	Trp	Ile	Leu	Ala	Pro	Glu	Glu	Pro	Lys	Ala	Leu	Val	Tyr	Ala	Asp	
			390					395						400		
AAC	ATA	TAC	ATT	GTC	CAC	TCA	AAC	ACG	TGG	TAC	TCA	ATT	GAC	CTA	GAG	1365
Asn	Ile	Tyr	Ile	Val	His	Ser	Asn	Thr	Trp	Tyr	Ser	Ile	Asp	Leu	Glu	
		405					410					415				
AAG	GGT	GAG	GCA	AAC	TGC	ACT	CGC	CAA	CAC	ATG	CAA	GCC	GCA	ATG	TAC	1413
Lys	Gly	Glu	Ala	Asn	Cys	Thr	Arg	Gln	His	Met	Gln	Ala	Ala	Met	Tyr	
	420					425					430					
TAC	ATA	CTC	ACC	AGA	GGG	TGG	TCA	GAC	AAC	GGC	GAC	CCA	ATG	TTC	AAT	1461
Tyr	Ile	Leu	Thr	Arg	Gly	Trp	Ser	Asp	Asn	Gly	Asp	Pro	Met	Phe	Asn	
435					440					445					450	
CAA	ACA	TGG	GCC	ACC	TTT	GCC	ATG	AAC	ATT	GCC	CCT	GCT	CTA	GTG	GTG	1509
Gln	Thr	Trp	Ala	Thr	Phe	Ala	Met	Asn	Ile	Ala	Pro	Ala	Leu	Val	Val	
				455					460					465		
GAC	TCA	TCG	TGC	CTG	ATA	ATG	AAC	CTG	CAA	ATT	AAG	ACC	TAT	GGT	CAA	1557
Asp	Ser	Ser	Cys	Leu	Ile	Met	Asn	Leu	Gln	Ile	Lys	Thr	Tyr	Gly	Gln	
			470					475					480			
GGC	AGC	GGG	AAT	GCA	GCC	ACG	TTC	ATC	AAC	AAC	CAC	CTC	TTG	AGC	ACA	1605
Gly	Ser	Gly	Asn	Ala	Ala	Thr	Phe	Ile	Asn	Asn	His	Leu	Leu	Ser	Thr	
		485					490					495				
CTA	GTG	CTT	GAC	CAG	TGG	AAC	CTG	ATG	AGA	CAG	CCC	AGA	CCA	GAC	AGC	1653
Leu	Val	Leu	Asp	Gln	Trp	Asn	Leu	Met	Arg	Gln	Pro	Arg	Pro	Asp	Ser	
	500					505					510					
GAG	GAG	TTC	AAA	TCA	ATT	GAG	GAC	AAG	CTA	GGT	ATC	AAC	TTT	AAG	ATT	1701
Glu	Glu	Phe	Lys	Ser	Ile	Glu	Asp	Lys	Leu	Gly	Ile	Asn	Phe	Lys	Ile	
515					520					525					530	
GAG	AGG	TCC	ATT	GAT	GAT	ATC	AGG	GGC	AAG	CTG	AGA	CAG	CTT	GTC	CTC	1749
Glu	Arg	Ser	Ile	Asp	Asp	Ile	Arg	Gly	Lys	Leu	Arg	Gln	Leu	Val	Leu	
				535					540					545		

CTT GCA CAA CCA GGG TAC CTG AGT GGG GGG GTT GAA CCA GAA CAA TCC Leu Ala Gln Pro Gly Tyr Leu Ser Gly Gly Val Glu Pro Glu Gln Ser 550 555 560	1797
AGC CCA ACT GTT GAG CTT GAC CTA CTA GGG TGG TCA GCT ACA TAC AGC Ser Pro Thr Val Glu Leu Asp Leu Leu Gly Trp Ser Ala Thr Tyr Ser 565 570 575	1845
AAA GAT CTC GGG ATC TAT GTG CCG GTG CTT GAC AAG GAA CGC CTA TTT Lys Asp Leu Gly Ile Tyr Val Pro Val Leu Asp Lys Glu Arg Leu Phe 580 585 590	1893
TGT TCT GCT GCG TAT CCC AAG GGA GTA GAG AAC AAG AGT CTC AAG TCC Cys Ser Ala Ala Tyr Pro Lys Gly Val Glu Asn Lys Ser Leu Lys Ser 595 600 605 610	1941
AAA GTC GGG ATC GAG CAG GCA TAC AAG GTA GTC AGG TAT GAG GCG TTG Lys Val Gly Ile Glu Gln Ala Tyr Lys Val Val Arg Tyr Glu Ala Leu 615 620 625	1989
AGG TTG GTA GGT GGT TGG AAC TAC CCA CTC CTG AAC AAA GCC TGC AAG Arg Leu Val Gly Gly Trp Asn Tyr Pro Leu Leu Asn Lys Ala Cys Lys 630 635 640	2037
AAT AAC GCA GGC GCC GCT CGG CGG CAT CTG GAG GCC AAG GGG TTC CCA Asn Asn Ala Gly Ala Ala Arg Arg His Leu Glu Ala Lys Gly Phe Pro 645 650 655	2085
CTC GAC GAG TTC CTA GCC GAG TGG TCT GAG CTG TCA GAG TTC GGT GAG Leu Asp Glu Phe Leu Ala Glu Trp Ser Glu Leu Ser Glu Phe Gly Glu 660 665 670	2133
GCC TTC GAA GGC TTC AAT ATC AAG CTG ACC GTA ACA TCT GAG AGC CTA Ala Phe Glu Gly Phe Asn Ile Lys Leu Thr Val Thr Ser Glu Ser Leu 675 680 685 690	2181
GCC GAA CTG AAC AAG CCA GTA CCC CCC AAG CCC CCA AAT GTC AAC AGA Ala Glu Leu Asn Lys Pro Val Pro Pro Lys Pro Pro Asn Val Asn Arg 695 700 705	2229
CCA GTC AAC ACT GGG GGA CTC AAG GCA GTC AGC AAC GCC CTC AAG ACC Pro Val Asn Thr Gly Gly Leu Lys Ala Val Ser Asn Ala Leu Lys Thr 710 715 720	2277
GGT CGG TAC AGG AAC GAA GCC GGA CTG AGT GGT CTC GTC CTT CTA GCC Gly Arg Tyr Arg Asn Glu Ala Gly Leu Ser Gly Leu Val Leu Leu Ala 725 730 735	2325
ACA GCA AGA AGC CGT CTG CAA GAT GCA GTT AAG GCC AAG GCA GAA GCC Thr Ala Arg Ser Arg Leu Gln Asp Ala Val Lys Ala Lys Ala Glu Ala 740 745 750	2373

GAG AAA CTC CAC AAG TCC AAG CCA GAC GAC CCC GAT GCA GAC TGG TTC	2421
Glu Lys Leu His Lys Ser Lys Pro Asp Asp Pro Asp Ala Asp Trp Phe	
755 760 765 770	
GAA AGA TCA GAA ACT CTG TCA GAC CTT CTG GAG AAA GCC GAC ATC GCC	2469
Glu Arg Ser Glu Thr Leu Ser Asp Leu Leu Glu Lys Ala Asp Ile Ala	
775 780 785	
AGC AAG GTC GCC CAC TCA GCA CTC GTG GAA ACA AGC GAC GCC CTT GAA	2517
Ser Lys Val Ala His Ser Ala Leu Val Glu Thr Ser Asp Ala Leu Glu	
790 795 800	
GCA GTT CAG TCG ACT TCC GTG TAC ACC CCC AAG TAC CCA GAA GTC AAG	2565
Ala Val Gln Ser Thr Ser Val Tyr Thr Pro Lys Tyr Pro Glu Val Lys	
805 810 815	
AAC CCA CAG ACC GCC TCC AAC CCC GTT GTT GGG CTC CAC CTG CCC GCC	2613
Asn Pro Gln Thr Ala Ser Asn Pro Val Val Gly Leu His Leu Pro Ala	
820 825 830	
AAG AGA GCC ACC GGT GTC CAG GCC GCT CTT CTC GGA GCA GGA ACG AGC	2661
Lys Arg Ala Thr Gly Val Gln Ala Ala Leu Leu Gly Ala Gly Thr Ser	
835 840 845 850	
AGA CCA ATG GGG ATG GAG GCC CCA ACA CGG TCC AAG AAC GCC GTG AAA	2709
Arg Pro Met Gly Met Glu Ala Pro Thr Arg Ser Lys Asn Ala Val Lys	
855 860 865	
ATG GCC AAA CGG CGG CAA CGC CAA AAG GAG AGC CGC TAACAGCCAT	2755
Met Ala Lys Arg Arg Gln Arg Gln Lys Glu Ser Arg	
870 875	
GATGGGAACC ACTCAAGAAG AGGACACTAA TCCCAGACCC CGTATCCCCG GCCTTCGCCT	2815
GCGGGGGGCC CC	2827

(2) INFORMATION FOR SEQ ID NO:26:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 878 amino acids  
(B) TYPE: amino acid  
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:

Met Ser Asp Ile Phe Asn Ser Pro Gln Ala Arg Ser Thr Ile Ser Ala  
1 5 10 15  
Ala Phe Gly Ile Lys Pro Thr Ala Gly Gln Asp Val Glu Glu Leu Leu

34

20	25	30
Ile Pro Lys Val Trp Val Pro Pro Glu Asp Pro Leu Ala Ser Pro Ser		
35	40	45
Arg Leu Ala Lys Phe Leu Arg Glu Asn Gly Tyr Lys Val Leu Gln Pro		
50	55	60
Arg Ser Leu Pro Glu Asn Glu Glu Tyr Glu Thr Asp Gln Ile Leu Pro		
65	70	75
80		
Asp Leu Ala Trp Met Arg Gln Ile Glu Gly Ala Val Leu Lys Pro Thr		
85	90	95
Leu Ser Leu Pro Ile Gly Asp Gln Glu Tyr Phe Pro Lys Tyr Tyr Pro		
100	105	110
Thr His Arg Pro Ser Lys Glu Lys Pro Asn Ala Tyr Pro Pro Asp Ile		
115	120	125
Ala Leu Leu Lys Gln Met Ile Tyr Leu Phe Leu Gln Val Pro Glu Ala		
130	135	140
Asn Glu Gly Leu Lys Asp Glu Val Thr Leu Leu Thr Gln Asn Ile Arg		
145	150	155
160		
Asp Lys Ala Tyr Gly Ser Gly Thr Tyr Met Gly Gln Ala Asn Arg Leu		
165	170	175
Val Ala Met Lys Glu Val Ala Thr Gly Arg Asn Pro Asn Lys Asp Pro		
180	185	190
Leu Lys Leu Gly Tyr Thr Phe Glu Ser Ile Ala Gln Leu Leu Asp Ile		
195	200	205
Thr Leu Pro Val Gly Pro Pro Gly Glu Asp Asp Lys Pro Trp Val Pro		
210	215	220
Leu Thr Arg Val Pro Ser Arg Met Leu Val Leu Thr Gly Asp Val Asp		
225	230	235
240		
Gly Asp Phe Glu Val Glu Asp Tyr Leu Pro Lys Ile Asn Leu Lys Ser		
245	250	255
Ser Ser Gly Leu Pro Tyr Val Gly Arg Thr Lys Gly Glu Thr Ile Gly		
260	265	270
Glu Met Ile Ala Ile Ser Asn Gln Phe Leu Arg Glu Leu Ser Thr Leu		
275	280	285
Leu Lys Gln Gly Ala Gly Thr Lys Gly Ser Asn Lys Lys Lys Leu Leu		

290		295		300
Ser Met Leu Ser Asp Tyr Trp Tyr Leu Ser Cys Gly Leu Leu Phe Pro				
305		310		315 320
Lys Ala Glu Arg Tyr Asp Lys Ser Thr Trp Leu Thr Lys Thr Arg Asn				
	325		330	335
Ile Trp Ser Ala Pro Ser Pro Thr His Leu Met Ile Ser Met Ile Thr				
	340		345	350
Trp Pro Val Met Ser Asn Ser Pro Asn Asn Val Leu Asn Ile Glu Gly				
	355		360	365
Cys Pro Ser Leu Tyr Lys Phe Asn Pro Phe Arg Gly Gly Leu Asn Arg				
	370		375	380
Ile Val Glu Trp Ile Leu Ala Pro Glu Glu Pro Lys Ala Leu Val Tyr				
385		390		395 400
Ala Asp Asn Ile Tyr Ile Val His Ser Asn Thr Trp Tyr Ser Ile Asp				
	405		410	415
Leu Glu Lys Gly Glu Ala Asn Cys Thr Arg Gln His Met Gln Ala Ala				
	420		425	430
Met Tyr Tyr Ile Leu Thr Arg Gly Trp Ser Asp Asn Gly Asp Pro Met				
	435		440	445
Phe Asn Gln Thr Trp Ala Thr Phe Ala Met Asn Ile Ala Pro Ala Leu				
	450		455	460
Val Val Asp Ser Ser Cys Leu Ile Met Asn Leu Gln Ile Lys Thr Tyr				
465		470		475 480
Gly Gln Gly Ser Gly Asn Ala Ala Thr Phe Ile Asn Asn His Leu Leu				
	485		490	495
Ser Thr Leu Val Leu Asp Gln Trp Asn Leu Met Arg Gln Pro Arg Pro				
	500		505	510
Asp Ser Glu Glu Phe Lys Ser Ile Glu Asp Lys Leu Gly Ile Asn Phe				
	515		520	525
Lys Ile Glu Arg Ser Ile Asp Asp Ile Arg Gly Lys Leu Arg Gln Leu				
	530		535	540
Val Leu Leu Ala Gln Pro Gly Tyr Leu Ser Gly Gly Val Glu Pro Glu				
545		550		555 560
Gln Ser Ser Pro Thr Val Glu Leu Asp Leu Leu Gly Trp Ser Ala Thr				

	565		570		575
Tyr Ser Lys Asp Leu Gly Ile Tyr Val Pro Val Leu Asp Lys Glu Arg	580		585		590
Leu Phe Cys Ser Ala Ala Tyr Pro Lys Gly Val Glu Asn Lys Ser Leu	595		600		605
Lys Ser Lys Val Gly Ile Glu Gln Ala Tyr Lys Val Val Arg Tyr Glu	610		615		620
Ala Leu Arg Leu Val Gly Gly Trp Asn Tyr Pro Leu Leu Asn Lys Ala	625		630		635
					640
Cys Lys Asn Asn Ala Gly Ala Ala Arg Arg His Leu Glu Ala Lys Gly	645		650		655
Phe Pro Leu Asp Glu Phe Leu Ala Glu Trp Ser Glu Leu Ser Glu Phe	660		665		670
Gly Glu Ala Phe Glu Gly Phe Asn Ile Lys Leu Thr Val Thr Ser Glu	675		680		685
Ser Leu Ala Glu Leu Asn Lys Pro Val Pro Pro Lys Pro Pro Asn Val	690		695		700
Asn Arg Pro Val Asn Thr Gly Gly Leu Lys Ala Val Ser Asn Ala Leu	705		710		715
					720
Lys Thr Gly Arg Tyr Arg Asn Glu Ala Gly Leu Ser Gly Leu Val Leu	725		730		735
Leu Ala Thr Ala Arg Ser Arg Leu Gln Asp Ala Val Lys Ala Lys Ala	740		745		750
Glu Ala Glu Lys Leu His Lys Ser Lys Pro Asp Asp Pro Asp Ala Asp	755		760		765
Trp Phe Glu Arg Ser Glu Thr Leu Ser Asp Leu Leu Glu Lys Ala Asp	770		775		780
Ile Ala Ser Lys Val Ala His Ser Ala Leu Val Glu Thr Ser Asp Ala	785		790		795
					800
Leu Glu Ala Val Gln Ser Thr Ser Val Tyr Thr Pro Lys Tyr Pro Glu	805		810		815
Val Lys Asn Pro Gln Thr Ala Ser Asn Pro Val Val Gly Leu His Leu	820		825		830
Pro Ala Lys Arg Ala Thr Gly Val Gln Ala Ala Leu Leu Gly Ala Gly					

835	840	845
Thr Ser Arg Pro Met Gly Met Glu Ala Pro Thr Arg Ser Lys Asn Ala		
850	855	860
Val Lys Met Ala Lys Arg Arg Gln Arg Gln Lys Glu Ser Arg		
865	870	875

## (2) INFORMATION FOR SEQ ID NO:27:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 3261 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: circular

## (ii) MOLECULE TYPE: cDNA

## (ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 97..531

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:

GGATACGATC GGTCTGACCC CGGGGGAGTC ACCCGGGGAC AGGCCGTCAA GGCCTTG TTC	60
CAGGATGGGA CTCCTCCTTC TACAACGCTA TCATTG ATG GTT AGT AGA GAT CAG	114
Met Val Ser Arg Asp Gln	
880	
ACA AAC GAT CGC AGC GAT GAC AAA CCT GCA AGA TCA AAC CCA ACA GAT	162
Thr Asn Asp Arg Ser Asp Asp Lys Pro Ala Arg Ser Asn Pro Thr Asp	
885 890 895 900	
TGT TCC GTT CAT ACG GAG CCT TCT GAT GCC AAC AAC CGG ACC GGC GTC	210
Cys Ser Val His Thr Glu Pro Ser Asp Ala Asn Asn Arg Thr Gly Val	
905 910 915	
CAT TCC GGA CGA CAC CCT GGA GAA GCA CAC TCT CAG GTC AGA GAC CTC	258
His Ser Gly Arg His Pro Gly Glu Ala His Ser Gln Val Arg Asp Leu	
920 925 930	
GAC CTA CAA TTT GAC TGT GGG GGA CAC AGG GTC AGG GCT AAT TGT CTT	306
Asp Leu Gln Phe Asp Cys Gly Gly His Arg Val Arg Ala Asn Cys Leu	
935 940 945	
TTT CCC TGG ATT CCC TGG CTC AAT TGT GGG TGC TCA CTA CAC ACT GCA	354
Phe Pro Trp Ile Pro Trp Leu Asn Cys Gly Cys Ser Leu His Thr Ala	
950 955 960	

GGG CAA TGG GAA CTA CAA GTT CGA TCA GAT GCT CCT GAC TGC CCA GAA Gly Gln Trp Glu Leu Gln Val Arg Ser Asp Ala Pro Asp Cys Pro Glu 965 970 975 980	402
CCT ACC GGC CAG TTA CAA CTA CTG CAG GCT AGT GAG TCG GAG TCT CAC Pro Thr Gly Gln Leu Gln Leu Leu Gln Ala Ser Glu Ser Glu Ser His 985 990 995	450
AGT GAG GTC AAG CAC ACT TCC TGG TGG CGT TTA TGC ACT AAA CGG CAC Ser Glu Val Lys His Thr Ser Trp Trp Arg Leu Cys Thr Lys Arg His 1000 1005 1010	498
CAT AAA CGC CGT GAC CTT CCA AGG AAG CCT GAG TGA ACT GACA GAT GTT AGCT His Lys Arg Arg Asp Leu Pro Arg Lys Pro Glu 1015 1020	551
ACAATGGGTT GATGTCTGCA ACAGCCAACA TCAACGACAA AATTGGGAAC GTCCTAGTAG	611
GGGAAGGGGT CACCGTCCTC AGCTTACCCA CATCATATGA TCTTGGGTAT GTGAGGCTTG	671
GTGACCCCAT TCCCGCAATA GGGCTTGACC CAAAATGGT AGCCACATGT GACAGCAGTG	731
ACAGGCCCAG AGTCTACACC ATA ACTGCAG CCGATGATTA CCAATTCTCA TCACAGTACC	791
AACCAGGTGG GGTAACAATC AACTGTCTCT CAGCCAACAT TGATGCCATC ACAAGCCTCA	851
GCGTTGGGGG AGAGCTCGTG TTTCAAACAA GCGTCCACGG CCTTGTTACTG GGCGCCACCA	911
TCTACCTCAT AGGCTTTGAT GGGACAACGG TAATCACCAG GGCTGTGGCC GCAAACAATG	971
GGCTGACGAC CGGCACCGAC AACCTTATGC CATTCAATCT TGTGATTCCA ACAAACGAGA	1031
TAACCCAGCC AATCACATCC ATCAA ACTGG AGATAGTGAC CTCCAAAAGT GGTGGTCAGG	1091
CAGGGGATCA GATGTCATGG TCGGCAAGAG GGAGCCTAGC AGTGACGATC CATGGTGGCA	1151
ACTATCCAGG GGCCCTCCGT CCCGTCACGC TAGTGGCCTA CGAAAGAGTG GCAACAGGAT	1211
CCGTCGTTAC GGTCGCTGGG GTGAGCAACT TCGAGCTGAT CCCAAATCCT GAACTAGCAA	1271
AGAACCTGGT TACAGAATAC GGCCGATTTG ACCCAGGAGC CATGAACTAC ACAAATTGA	1331
TACTGAGTGA GAGGGACCGT CTTGGCATCA AGACCGTCTG GCCAACAAGG GAGTACACTG	1391
ACTTTTCGTGA ATACTTCATG GAGGTGGCCG ACCTCAACTC TCCCCTGAAG ATTGCAGGAG	1451
CATTTCGGCTT CAAAGACATA ATCCGGGCCA TAAGGAGGAT AGCTGTGCCG GTGGTCTCCA	1511
CATTGTTCCC ACCTGCCGCT CCCCTAGCCC ATGCAATTGG GGAAGGTGTA GACTACCTGC	1571
TGGGCGATGA GGCACAGGCT GCTTCAGGAA CTGCTCGAGC CGCGTCAGGA AAAGCAAGAG	1631



CTGCCTCAGG CCGCATAAGG CAGCTGACTC TCGCCGCCGA CAAGGGGTAC GAGGTAGTCG 1691  
CGAATCTATT CCAGGTGCCC CAGAATCCCG TAGTCGACGG GATTCTTGCT TCACCTGGGG 1751  
TACTCCGCGG TGCACACAAC CTCGACTGCG TGTTAAGAGA GGGTGCCACG CTATTCCCTG 1811  
TGGTTATTAC GACAGTGGAA GACGCCATGA CACCCAAAGC ATTGAACAGC AAAATGTTTG 1871  
CTGTCATTGA AGGCGTGCGA GAAGACCTCC AACCTCCATC TCAAAGAGGA TCCTTCATAC 1931  
GAACTCTCTC TGGACACAGA GTCTATGGAT ATGCTCCAGA TGGGGTACTT CCACTGGAGA 1991  
CTGGGAGAGA CTACACCGTT GTCCCAATAG ATGATGTCTG GGACGACAGC ATTATGCTGT 2051  
CCAAAGATCC CATACTCCT ATTGTGGGAA ACAGTGGAAA TCTAGCCATA GCTTACATGG 2111  
ATGTGTTTCG ACCCAAAGTC CCAATCCATG TGGCTATGAC GGGAGCCCTC AATGCTTGTG 2171  
GCGAGATTGA GAAAGTAAGC TTTAGAAGCA CCAAGCTCGC CACTGCACAC CGACTTGGCC 2231  
TTAGGTTGGC TGGTCCCGGA GCATTGATG TAAACACCGG GCCCAACTGG GCAACGTTCA 2291  
TCAAACGTTT CCCTCACAAT CCACGCGACT GGGACAGGCT CCCCTACCTC AACCTACCAT 2351  
ACCTTCCACC CAATGCAGGA CGCCAGTACC ACCTTGCCAT GGCTGCATCA GAGTTCAAAG 2411  
AGACCCCCGA ACTCGAGAGT GCCGTCAGAG CAATGGAAGC AGCAGCCAAC GTGGACCCAC 2471  
TATTCCAATC TGCACTCAGT GTGTTTCATG GGCTGGAAGA GAATGGGATT GTGACTGACA 2531  
TGGCCAACTT CGCACTCAGC GACCCGAACG CCCATCGGAT GCGAAATTTT CTTGCAAACG 2591  
CACCACAAGC AGGCAGCAAG TCGCAAAGGG CCAAGTACGG GACAGCAGGC TACGGAGTGG 2651  
AGGCTCGGGG CCCACACCA GAGGAAGCAC AGAGGGAAAA AGACACACGG ATCTCAAAGA 2711  
AGATGGAGAC CATGGGCATC TACTTTGCAA CACCAGAATG GGTAGCACTC AATGGGCACC 2771  
GAGGGCCAAG CCCCGGCCAG CTAAAGTACT GGCAGAACAC ACGAGAAATA CCGGACCCAA 2831  
ACGAGGACTA TCTAGACTAC GTGCATGCAG AGAAGAGCCG GTTGGCATCA GAAGAACAAA 2891  
TCCTAAGGGC AGCTACGTCG ATCTACGGGG CTCCAGGACA GGCAGAGCCA CCCCAAGCTT 2951  
TCATAGACGA AGTTGCCAAA GTCTATGAAA TCAACCATGG ACGTGGCCCA AACCAAGAAC 3011  
AGATGAAAGA TCTGCTCTTG ACTGCGATGG AGATGAAGCA TCGCAATCCC AGGCGGGCTC 3071  
TACCAAAGCC CAAGCCAAAA CCAATGCTC CAACACAGAG ACCCCCTGGT CGGCTGGGCC 3131  
GCTGGATCAG GACCGTCTCT GATGAGGACC TTGAGTGAGG CTCCTGGGAG TCTCCCGACA 3191

40

CCACCCGCGC AGGTGTGGAC ACCAATTCGG CCTTACAACA TCCCAAATTG GATCCGTTTCG 3251  
 CGGGTCCCCT 3261

## (2) INFORMATION FOR SEQ ID NO:28:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 145 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

## (ii) MOLECULE TYPE: protein

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:

Met Val Ser Arg Asp Gln Thr Asn Asp Arg Ser Asp Asp Lys Pro Ala  
 1 5 10 15  
 Arg Ser Asn Pro Thr Asp Cys Ser Val His Thr Glu Pro Ser Asp Ala  
 20 25 30  
 Asn Asn Arg Thr Gly Val His Ser Gly Arg His Pro Gly Glu Ala His  
 35 40 45  
 Ser Gln Val Arg Asp Leu Asp Leu Gln Phe Asp Cys Gly Gly His Arg  
 50 55 60  
 Val Arg Ala Asn Cys Leu Phe Pro Trp Ile Pro Trp Leu Asn Cys Gly  
 65 70 75 80  
 Cys Ser Leu His Thr Ala Gly Gln Trp Glu Leu Gln Val Arg Ser Asp  
 85 90 95  
 Ala Pro Asp Cys Pro Glu Pro Thr Gly Gln Leu Gln Leu Leu Gln Ala  
 100 105 110  
 Ser Glu Ser Glu Ser His Ser Glu Val Lys His Thr Ser Trp Trp Arg  
 115 120 125  
 Leu Cys Thr Lys Arg His His Lys Arg Arg Asp Leu Pro Arg Lys Pro  
 130 135 140  
 Glu  
 145

## (2) INFORMATION FOR SEQ ID NO:29:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 3261 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: circular

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 131..3166

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:

```

GGATACGATC GGTCTGACCC CGGGGGAGTC ACCCGGGGAC AGGCCGTCAA GGCCTTGTTT      60
CAGGATGGGA CTCCTCCTTC TACAACGCTA TCATTGATGG TTAGTAGAGA TCAGACAAAC      120
GATCGCAGCG ATG ACA AAC CTG CAA GAT CAA ACC CAA CAG ATT GTT CCG      169
      Met Thr Asn Leu Gln Asp Gln Thr Gln Gln Ile Val Pro
                                150                                155

TTC ATA CGG AGC CTT CTG ATG CCA ACA ACC GGA CCG GCG TCC ATT CCG      217
Phe Ile Arg Ser Leu Leu Met Pro Thr Thr Gly Pro Ala Ser Ile Pro
      160                                165                                170

GAC GAC ACC CTG GAG AAG CAC ACT CTC AGG TCA GAG ACC TCG ACC TAC      265
Asp Asp Thr Leu Glu Lys His Thr Leu Arg Ser Glu Thr Ser Thr Tyr
      175                                180                                185                                190

AAT TTG ACT GTG GGG GAC ACA GGG TCA GGG CTA ATT GTC TTT TTC CCT      313
Asn Leu Thr Val Gly Asp Thr Gly Ser Gly Leu Ile Val Phe Phe Pro
                                195                                200                                205

GGA TTC CCT GGC TCA ATT GTG GGT GCT CAC TAC ACA CTG CAG GGC AAT      361
Gly Phe Pro Gly Ser Ile Val Gly Ala His Tyr Thr Leu Gln Gly Asn
                                210                                215                                220

GGG AAC TAC AAG TTC GAT CAG ATG CTC CTG ACT GCC CAG AAC CTA CCG      409
Gly Asn Tyr Lys Phe Asp Gln Met Leu Leu Thr Ala Gln Asn Leu Pro
                                225                                230                                235

GCC AGT TAC AAC TAC TGC AGG CTA GTG AGT CGG AGT CTC ACA GTG AGG      457
Ala Ser Tyr Asn Tyr Cys Arg Leu Val Ser Arg Ser Leu Thr Val Arg
                                240                                245                                250

TCA AGC ACA CTT CCT GGT GGC GTT TAT GCA CTA AAC GGC ACC ATA AAC      505
Ser Ser Thr Leu Pro Gly Gly Val Tyr Ala Leu Asn Gly Thr Ile Asn
      255                                260                                265                                270

GCC GTG ACC TTC CAA GGA AGC CTG AGT GAA CTG ACA GAT GTT AGC TAC      553

```

Ala	Val	Thr	Phe	Gln	Gly	Ser	Leu	Ser	Glu	Leu	Thr	Asp	Val	Ser	Tyr	
				275					280					285		
AAT	GGG	TTG	ATG	TCT	GCA	ACA	GCC	AAC	ATC	AAC	GAC	AAA	ATT	GGG	AAC	601
Asn	Gly	Leu	Met	Ser	Ala	Thr	Ala	Asn	Ile	Asn	Asp	Lys	Ile	Gly	Asn	
			290					295					300			
GTC	CTA	GTA	GGG	GAA	GGG	GTC	ACC	GTC	CTC	AGC	TTA	CCC	ACA	TCA	TAT	649
Val	Leu	Val	Gly	Glu	Gly	Val	Thr	Val	Leu	Ser	Leu	Pro	Thr	Ser	Tyr	
		305					310					315				
GAT	CTT	GGG	TAT	GTG	AGG	CTT	GGT	GAC	CCC	ATT	CCC	GCA	ATA	GGG	CTT	697
Asp	Leu	Gly	Tyr	Val	Arg	Leu	Gly	Asp	Pro	Ile	Pro	Ala	Ile	Gly	Leu	
	320					325					330					
GAC	CCA	AAA	ATG	GTA	GCC	ACA	TGT	GAC	AGC	AGT	GAC	AGG	CCC	AGA	GTC	745
Asp	Pro	Lys	Met	Val	Ala	Thr	Cys	Asp	Ser	Ser	Asp	Arg	Pro	Arg	Val	
335					340				345						350	
TAC	ACC	ATA	ACT	GCA	GCC	GAT	GAT	TAC	CAA	TTC	TCA	TCA	CAG	TAC	CAA	793
Tyr	Thr	Ile	Thr	Ala	Ala	Asp	Asp	Tyr	Gln	Phe	Ser	Ser	Gln	Tyr	Gln	
				355					360					365		
CCA	GGT	GGG	GTA	ACA	ATC	ACA	CTG	TTC	TCA	GCC	AAC	ATT	GAT	GCC	ATC	841
Pro	Gly	Gly	Val	Thr	Ile	Thr	Leu	Phe	Ser	Ala	Asn	Ile	Asp	Ala	Ile	
			370					375					380			
ACA	AGC	CTC	AGC	GTT	GGG	GGA	GAG	CTC	GTG	TTT	CAA	ACA	AGC	GTC	CAC	889
Thr	Ser	Leu	Ser	Val	Gly	Gly	Glu	Leu	Val	Phe	Gln	Thr	Ser	Val	His	
		385					390					395				
GGC	CTT	GTA	CTG	GGC	GCC	ACC	ATC	TAC	CTC	ATA	GGC	TTT	GAT	GGG	ACA	937
Gly	Leu	Val	Leu	Gly	Ala	Thr	Ile	Tyr	Leu	Ile	Gly	Phe	Asp	Gly	Thr	
	400					405					410					
ACG	GTA	ATC	ACC	AGG	GCT	GTG	GCC	GCA	AAC	AAT	GGG	CTG	ACG	ACC	GGC	985
Thr	Val	Ile	Thr	Arg	Ala	Val	Ala	Ala	Asn	Asn	Gly	Leu	Thr	Thr	Gly	
415					420				425					430		
ACC	GAC	AAC	CTT	ATG	CCA	TTC	AAT	CTT	GTG	ATT	CCA	ACA	AAC	GAG	ATA	1033
Thr	Asp	Asn	Leu	Met	Pro	Phe	Asn	Leu	Val	Ile	Pro	Thr	Asn	Glu	Ile	
				435					440					445		
ACC	CAG	CCA	ATC	ACA	TCC	ATC	AAA	CTG	GAG	ATA	GTG	ACC	TCC	AAA	AGT	1081
Thr	Gln	Pro	Ile	Thr	Ser	Ile	Lys	Leu	Glu	Ile	Val	Thr	Ser	Lys	Ser	
			450					455					460			
GGT	GGT	CAG	GCA	GGG	GAT	CAG	ATG	TCA	TGG	TCG	GCA	AGA	GGG	AGC	CTA	1129
Gly	Gly	Gln	Ala	Gly	Asp	Gln	Met	Ser	Trp	Ser	Ala	Arg	Gly	Ser	Leu	
		465					470					475				

GCA GTG ACG ATC CAT GGT GGC AAC TAT CCA GGG GCC CTC CGT CCC GTC	1177
Ala Val Thr Ile His Gly Gly Asn Tyr Pro Gly Ala Leu Arg Pro Val	
480 485 490	
ACG CTA GTG GCC TAC GAA AGA GTG GCA ACA GGA TCC GTC GTT ACG GTC	1225
Thr Leu Val Ala Tyr Glu Arg Val Ala Thr Gly Ser Val Val Thr Val	
495 500 505 510	
GCT GGG GTG AGC AAC TTC GAG CTG ATC CCA AAT CCT GAA CTA GCA AAG	1273
Ala Gly Val Ser Asn Phe Glu Leu Ile Pro Asn Pro Glu Leu Ala Lys	
515 520 525	
AAC CTG GTT ACA GAA TAC GGC CGA TTT GAC CCA GGA GCC ATG AAC TAC	1321
Asn Leu Val Thr Glu Tyr Gly Arg Phe Asp Pro Gly Ala Met Asn Tyr	
530 535 540	
ACA AAA TTG ATA CTG AGT GAG AGG GAC CGT CTT GGC ATC AAG ACC GTC	1369
Thr Lys Leu Ile Leu Ser Glu Arg Asp Arg Leu Gly Ile Lys Thr Val	
545 550 555	
TGG CCA ACA AGG GAG TAC ACT GAC TTT CGT GAA TAC TTC ATG GAG GTG	1417
Trp Pro Thr Arg Glu Tyr Thr Asp Phe Arg Glu Tyr Phe Met Glu Val	
560 565 570	
GCC GAC CTC AAC TCT CCC CTG AAG ATT GCA GGA GCA TTC GGC TTC AAA	1465
Ala Asp Leu Asn Ser Pro Leu Lys Ile Ala Gly Ala Phe Gly Phe Lys	
575 580 585 590	
GAC ATA ATC CGG GCC ATA AGG AGG ATA GCT GTG CCG GTG GTC TCC ACA	1513
Asp Ile Ile Arg Ala Ile Arg Arg Ile Ala Val Pro Val Val Ser Thr	
595 600 605	
TTG TTC CCA CCT GCC GCT CCC CTA GCC CAT GCA ATT GGG GAA GGT GTA	1561
Leu Phe Pro Pro Ala Ala Pro Leu Ala His Ala Ile Gly Glu Gly Val	
610 615 620	
GAC TAC CTG CTG GGC GAT GAG GCA CAG GCT GCT TCA GGA ACT GCT CGA	1609
Asp Tyr Leu Leu Gly Asp Glu Ala Gln Ala Ala Ser Gly Thr Ala Arg	
625 630 635	
GCC GCG TCA GGA AAA GCA AGA GCT GCC TCA GGC CGC ATA AGG CAG CTG	1657
Ala Ala Ser Gly Lys Ala Arg Ala Ala Ser Gly Arg Ile Arg Gln Leu	
640 645 650	
ACT CTC GCC GCC GAC AAG GGG TAC GAG GTA GTC GCG AAT CTA TTC CAG	1705
Thr Leu Ala Ala Asp Lys Gly Tyr Glu Val Val Ala Asn Leu Phe Gln	
655 660 665 670	
GTG CCC CAG AAT CCC GTA GTC GAC GGG ATT CTT GCT TCA CCT GGG GTA	1753
Val Pro Gln Asn Pro Val Val Asp Gly Ile Leu Ala Ser Pro Gly Val	
675 680 685	

CTC	CGC	GGT	GCA	CAC	AAC	CTC	GAC	TGC	GTG	TTA	AGA	GAG	GGT	GCC	ACG	1801
Leu	Arg	Gly	Ala	His	Asn	Leu	Asp	Cys	Val	Leu	Arg	Glu	Gly	Ala	Thr	
		690						695					700			
CTA	TTC	CCT	GTG	GTT	ATT	ACG	ACA	GTG	GAA	GAC	GCC	ATG	ACA	CCC	AAA	1849
Leu	Phe	Pro	Val	Val	Ile	Thr	Thr	Val	Glu	Asp	Ala	Met	Thr	Pro	Lys	
		705					710					715				
GCA	TTG	AAC	AGC	AAA	ATG	TTT	GCT	GTC	ATT	GAA	GGC	GTG	CGA	GAA	GAC	1897
Ala	Leu	Asn	Ser	Lys	Met	Phe	Ala	Val	Ile	Glu	Gly	Val	Arg	Glu	Asp	
		720				725					730					
CTC	CAA	CCT	CCA	TCT	CAA	AGA	GGA	TCC	TTC	ATA	CGA	ACT	CTC	TCT	GGA	1945
Leu	Gln	Pro	Pro	Ser	Gln	Arg	Gly	Ser	Phe	Ile	Arg	Thr	Leu	Ser	Gly	
		735			740					745					750	
CAC	AGA	GTC	TAT	GGA	TAT	GCT	CCA	GAT	GGG	GTA	CTT	CCA	CTG	GAG	ACT	1993
His	Arg	Val	Tyr	Gly	Tyr	Ala	Pro	Asp	Gly	Val	Leu	Pro	Leu	Glu	Thr	
			755						760					765		
GGG	AGA	GAC	TAC	ACC	GTT	GTC	CCA	ATA	GAT	GAT	GTC	TGG	GAC	GAC	AGC	2041
Gly	Arg	Asp	Tyr	Thr	Val	Val	Pro	Ile	Asp	Asp	Val	Trp	Asp	Asp	Ser	
		770						775					780			
ATT	ATG	CTG	TCC	AAA	GAT	CCC	ATA	CCT	CCT	ATT	GTG	GGA	AAC	AGT	GGA	2089
Ile	Met	Leu	Ser	Lys	Asp	Pro	Ile	Pro	Pro	Ile	Val	Gly	Asn	Ser	Gly	
		785					790					795				
AAT	CTA	GCC	ATA	GCT	TAC	ATG	GAT	GTG	TTT	CGA	CCC	AAA	GTC	CCA	ATC	2137
Asn	Leu	Ala	Ile	Ala	Tyr	Met	Asp	Val	Phe	Arg	Pro	Lys	Val	Pro	Ile	
		800				805					810					
CAT	GTG	GCT	ATG	ACG	GGA	GCC	CTC	AAT	GCT	TGT	GGC	GAG	ATT	GAG	AAA	2185
His	Val	Ala	Met	Thr	Gly	Ala	Leu	Asn	Ala	Cys	Gly	Glu	Ile	Glu	Lys	
		815			820					825					830	
GTA	AGC	TTT	AGA	AGC	ACC	AAG	CTC	GCC	ACT	GCA	CAC	CGA	CTT	GGC	CTT	2233
Val	Ser	Phe	Arg	Ser	Thr	Lys	Leu	Ala	Thr	Ala	His	Arg	Leu	Gly	Leu	
				835					840					845		
AGG	TTG	GCT	GGT	CCC	GGA	GCA	TTC	GAT	GTA	AAC	ACC	GGG	CCC	AAC	TGG	2281
Arg	Leu	Ala	Gly	Pro	Gly	Ala	Phe	Asp	Val	Asn	Thr	Gly	Pro	Asn	Trp	
		850						855					860			
GCA	ACG	TTC	ATC	AAA	CGT	TTC	CCT	CAC	AAT	CCA	CGC	GAC	TGG	GAC	AGG	2329
Ala	Thr	Phe	Ile	Lys	Arg	Phe	Pro	His	Asn	Pro	Arg	Asp	Trp	Asp	Arg	
		865					870					875				
CTC	CCC	TAC	CTC	AAC	CTA	CCA	TAC	CTT	CCA	CCC	AAT	GCA	GGA	CGC	CAG	2377
Leu	Pro	Tyr	Leu	Asn	Leu	Pro	Tyr	Leu	Pro	Pro	Asn	Ala	Gly	Arg	Gln	
		880				885					890					

## 45

TAC CAC CTT GCC ATG GCT GCA TCA GAG TTC AAA GAG ACC CCC GAA CTC	2425
Tyr His Leu Ala Met Ala Ala Ser Glu Phe Lys Glu Thr Pro Glu Leu	
895 900 905 910	
GAG AGT GCC GTC AGA GCA ATG GAA GCA GCA GCC AAC GTG GAC CCA CTA	2473
Glu Ser Ala Val Arg Ala Met Glu Ala Ala Ala Asn Val Asp Pro Leu	
915 920 925	
TTC CAA TCT GCA CTC AGT GTG TTC ATG TGG CTG GAA GAG AAT GGG ATT	2521
Phe Gln Ser Ala Leu Ser Val Phe Met Trp Leu Glu Glu Asn Gly Ile	
930 935 940	
GTG ACT GAC ATG GCC AAC TTC GCA CTC AGC GAC CCG AAC GCC CAT CGG	2569
Val Thr Asp Met Ala Asn Phe Ala Leu Ser Asp Pro Asn Ala His Arg	
945 950 955	
ATG CGA AAT TTT CTT GCA AAC GCA CCA CAA GCA GGC AGC AAG TCG CAA	2617
Met Arg Asn Phe Leu Ala Asn Ala Pro Gln Ala Gly Ser Lys Ser Gln	
960 965 970	
AGG GCC AAG TAC GGG ACA GCA GGC TAC GGA GTG GAG GCT CGG GGC CCC	2665
Arg Ala Lys Tyr Gly Thr Ala Gly Tyr Gly Val Glu Ala Arg Gly Pro	
975 980 985 990	
ACA CCA GAG GAA GCA CAG AGG GAA AAA GAC ACA CGG ATC TCA AAG AAG	2713
Thr Pro Glu Glu Ala Gln Arg Glu Lys Asp Thr Arg Ile Ser Lys Lys	
995 1000 1005	
ATG GAG ACC ATG GGC ATC TAC TTT GCA ACA CCA GAA TGG GTA GCA CTC	2761
Met Glu Thr Met Gly Ile Tyr Phe Ala Thr Pro Glu Trp Val Ala Leu	
1010 1015 1020	
AAT GGG CAC CGA GGG CCA AGC CCC GGC CAG CTA AAG TAC TGG CAG AAC	2809
Asn Gly His Arg Gly Pro Ser Pro Gly Gln Leu Lys Tyr Trp Gln Asn	
1025 1030 1035	
ACA CGA GAA ATA CCG GAC CCA AAC GAG GAC TAT CTA GAC TAC GTG CAT	2857
Thr Arg Glu Ile Pro Asp Pro Asn Glu Asp Tyr Leu Asp Tyr Val His	
1040 1045 1050	
GCA GAG AAG AGC CGG TTG GCA TCA GAA GAA CAA ATC CTA AGG GCA GCT	2905
Ala Glu Lys Ser Arg Leu Ala Ser Glu Glu Gln Ile Leu Arg Ala Ala	
1055 1060 1065 1070	
ACG TCG ATC TAC GGG GCT CCA GGA CAG GCA GAG CCA CCC CAA GCT TTC	2953
Thr Ser Ile Tyr Gly Ala Pro Gly Gln Ala Glu Pro Pro Gln Ala Phe	
1075 1080 1085	
ATA GAC GAA GTT GCC AAA GTC TAT GAA ATC AAC CAT GGA CGT GGC CCA	3001
Ile Asp Glu Val Ala Lys Val Tyr Glu Ile Asn His Gly Arg Gly Pro	
1090 1095 1100	

AAC CAA GAA CAG ATG AAA GAT CTG CTC TTG ACT GCG ATG GAG ATG AAG 3049  
Asn Gln Glu Gln Met Lys Asp Leu Leu Leu Thr Ala Met Glu Met Lys  
1105 1110 1115

CAT CGC AAT CCC AGG CGG GCT CTA CCA AAG CCC AAG CCA AAA CCC AAT 3097  
His Arg Asn Pro Arg Arg Ala Leu Pro Lys Pro Lys Pro Lys Pro Asn  
1120 1125 1130

GCT CCA ACA CAG AGA CCC CCT GGT CGG CTG GGC CGC TGG ATC AGG ACC 3145  
Ala Pro Thr Gln Arg Pro Pro Gly Arg Leu Gly Arg Trp Ile Arg Thr  
1135 1140 1145 1150

GTC TCT GAT GAG GAC CTT GAG TGAGGCTCCT GGGAGTCTCC CGACACCACC 3196  
Val Ser Asp Glu Asp Leu Glu  
1155

CGCGCAGGTG TGGACACCAA TTCGGCCTTA CAACATCCCA AATTGGATCC GTTCGCGGGT 3256  
CCCCT 3261

(2) INFORMATION FOR SEQ ID NO:30:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1012 amino acids  
(B) TYPE: amino acid  
(D) TOPOLOGY: linear

## (ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:

Met	Thr	Asn	Leu	Gln	Asp	Gln	Thr	Gln	Gln	Ile	Val	Pro	Phe	Ile	Arg
1				5					10					15	
Ser	Leu	Leu	Met	Pro	Thr	Thr	Gly	Pro	Ala	Ser	Ile	Pro	Asp	Asp	Thr
			20					25					30		
Leu	Glu	Lys	His	Thr	Leu	Arg	Ser	Glu	Thr	Ser	Thr	Tyr	Asn	Leu	Thr
		35					40					45			
Val	Gly	Asp	Thr	Gly	Ser	Gly	Leu	Ile	Val	Phe	Phe	Pro	Gly	Phe	Pro
	50					55					60				
Gly	Ser	Ile	Val	Gly	Ala	His	Tyr	Thr	Leu	Gln	Gly	Asn	Gly	Asn	Tyr
65					70					75					80
Lys	Phe	Asp	Gln	Met	Leu	Leu	Thr	Ala	Gln	Asn	Leu	Pro	Ala	Ser	Tyr
				85					90					95	
Asn	Tyr	Cys	Arg	Leu	Val	Ser	Arg	Ser	Leu	Thr	Val	Arg	Ser	Ser	Thr
			100					105					110		



Leu Pro Gly Gly Val Tyr Ala Leu Asn Gly Thr Ile Asn Ala Val Thr  
 115 120 125  
 Phe Gln Gly Ser Leu Ser Glu Leu Thr Asp Val Ser Tyr Asn Gly Leu  
 130 135 140  
 Met Ser Ala Thr Ala Asn Ile Asn Asp Lys Ile Gly Asn Val Leu Val  
 145 150 155 160  
 Gly Glu Gly Val Thr Val Leu Ser Leu Pro Thr Ser Tyr Asp Leu Gly  
 165 170 175  
 Tyr Val Arg Leu Gly Asp Pro Ile Pro Ala Ile Gly Leu Asp Pro Lys  
 180 185 190  
 Met Val Ala Thr Cys Asp Ser Ser Asp Arg Pro Arg Val Tyr Thr Ile  
 195 200 205  
 Thr Ala Ala Asp Asp Tyr Gln Phe Ser Ser Gln Tyr Gln Pro Gly Gly  
 210 215 220  
 Val Thr Ile Thr Leu Phe Ser Ala Asn Ile Asp Ala Ile Thr Ser Leu  
 225 230 235 240  
 Ser Val Gly Gly Glu Leu Val Phe Gln Thr Ser Val His Gly Leu Val  
 245 250 255  
 Leu Gly Ala Thr Ile Tyr Leu Ile Gly Phe Asp Gly Thr Thr Val Ile  
 260 265 270  
 Thr Arg Ala Val Ala Ala Asn Asn Gly Leu Thr Thr Gly Thr Asp Asn  
 275 280 285  
 Leu Met Pro Phe Asn Leu Val Ile Pro Thr Asn Glu Ile Thr Gln Pro  
 290 295 300  
 Ile Thr Ser Ile Lys Leu Glu Ile Val Thr Ser Lys Ser Gly Gly Gln  
 305 310 315 320  
 Ala Gly Asp Gln Met Ser Trp Ser Ala Arg Gly Ser Leu Ala Val Thr  
 325 330 335  
 Ile His Gly Gly Asn Tyr Pro Gly Ala Leu Arg Pro Val Thr Leu Val  
 340 345 350  
 Ala Tyr Glu Arg Val Ala Thr Gly Ser Val Val Thr Val Ala Gly Val  
 355 360 365  
 Ser Asn Phe Glu Leu Ile Pro Asn Pro Glu Leu Ala Lys Asn Leu Val  
 370 375 380  
 Thr Glu Tyr Gly Arg Phe Asp Pro Gly Ala Met Asn Tyr Thr Lys Leu

385		390		395		400
Ile Leu Ser Glu Arg Asp Arg Leu Gly Ile Lys Thr Val Trp Pro Thr						
	405		410			415
Arg Glu Tyr Thr Asp Phe Arg Glu Tyr Phe Met Glu Val Ala Asp Leu						
	420		425			430
Asn Ser Pro Leu Lys Ile Ala Gly Ala Phe Gly Phe Lys Asp Ile Ile						
	435		440			445
Arg Ala Ile Arg Arg Ile Ala Val Pro Val Val Ser Thr Leu Phe Pro						
	450		455			460
Pro Ala Ala Pro Leu Ala His Ala Ile Gly Glu Gly Val Asp Tyr Leu						
	465		470		475	480
Leu Gly Asp Glu Ala Gln Ala Ala Ser Gly Thr Ala Arg Ala Ala Ser						
	485		490			495
Gly Lys Ala Arg Ala Ala Ser Gly Arg Ile Arg Gln Leu Thr Leu Ala						
	500		505			510
Ala Asp Lys Gly Tyr Glu Val Val Ala Asn Leu Phe Gln Val Pro Gln						
	515		520			525
Asn Pro Val Val Asp Gly Ile Leu Ala Ser Pro Gly Val Leu Arg Gly						
	530		535			540
Ala His Asn Leu Asp Cys Val Leu Arg Glu Gly Ala Thr Leu Phe Pro						
	545		550		555	560
Val Val Ile Thr Thr Val Glu Asp Ala Met Thr Pro Lys Ala Leu Asn						
	565		570			575
Ser Lys Met Phe Ala Val Ile Glu Gly Val Arg Glu Asp Leu Gln Pro						
	580		585			590
Pro Ser Gln Arg Gly Ser Phe Ile Arg Thr Leu Ser Gly His Arg Val						
	595		600			605
Tyr Gly Tyr Ala Pro Asp Gly Val Leu Pro Leu Glu Thr Gly Arg Asp						
	610		615			620
Tyr Thr Val Val Pro Ile Asp Asp Val Trp Asp Asp Ser Ile Met Leu						
	625		630		635	640
Ser Lys Asp Pro Ile Pro Pro Ile Val Gly Asn Ser Gly Asn Leu Ala						
	645		650			655
Ile Ala Tyr Met Asp Val Phe Arg Pro Lys Val Pro Ile His Val Ala						
	660		665			670

Met Thr Gly Ala Leu Asn Ala Cys Gly Glu Ile Glu Lys Val Ser Phe  
 675 680 685  
 Arg Ser Thr Lys Leu Ala Thr Ala His Arg Leu Gly Leu Arg Leu Ala  
 690 695 700  
 Gly Pro Gly Ala Phe Asp Val Asn Thr Gly Pro Asn Trp Ala Thr Phe  
 705 710 715 720  
 Ile Lys Arg Phe Pro His Asn Pro Arg Asp Trp Asp Arg Leu Pro Tyr  
 725 730 735  
 Leu Asn Leu Pro Tyr Leu Pro Pro Asn Ala Gly Arg Gln Tyr His Leu  
 740 745 750  
 Ala Met Ala Ala Ser Glu Phe Lys Glu Thr Pro Glu Leu Glu Ser Ala  
 755 760 765  
 Val Arg Ala Met Glu Ala Ala Ala Asn Val Asp Pro Leu Phe Gln Ser  
 770 775 780  
 Ala Leu Ser Val Phe Met Trp Leu Glu Glu Asn Gly Ile Val Thr Asp  
 785 790 795 800  
 Met Ala Asn Phe Ala Leu Ser Asp Pro Asn Ala His Arg Met Arg Asn  
 805 810 815  
 Phe Leu Ala Asn Ala Pro Gln Ala Gly Ser Lys Ser Gln Arg Ala Lys  
 820 825 830  
 Tyr Gly Thr Ala Gly Tyr Gly Val Glu Ala Arg Gly Pro Thr Pro Glu  
 835 840 845  
 Glu Ala Gln Arg Glu Lys Asp Thr Arg Ile Ser Lys Lys Met Glu Thr  
 850 855 860  
 Met Gly Ile Tyr Phe Ala Thr Pro Glu Trp Val Ala Leu Asn Gly His  
 865 870 875 880  
 Arg Gly Pro Ser Pro Gly Gln Leu Lys Tyr Trp Gln Asn Thr Arg Glu  
 885 890 895  
 Ile Pro Asp Pro Asn Glu Asp Tyr Leu Asp Tyr Val His Ala Glu Lys  
 900 905 910  
 Ser Arg Leu Ala Ser Glu Glu Gln Ile Leu Arg Ala Ala Thr Ser Ile  
 915 920 925  
 Tyr Gly Ala Pro Gly Gln Ala Glu Pro Pro Gln Ala Phe Ile Asp Glu  
 930 935 940  
 Val Ala Lys Val Tyr Glu Ile Asn His Gly Arg Gly Pro Asn Gln Glu

945	950	955	960
Gln Met Lys Asp Leu Leu Leu Thr Ala Met Glu Met Lys His Arg Asn			
965	970	975	
Pro Arg Arg Ala Leu Pro Lys Pro Lys Pro Lys Pro Asn Ala Pro Thr			
980	985	990	
Gln Arg Pro Pro Gly Arg Leu Gly Arg Trp Ile Arg Thr Val Ser Asp			
995	1000	1005	
Glu Asp Leu Glu			
1010			

## (2) INFORMATION FOR SEQ ID NO:31:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 3264 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: circular

## (ii) MOLECULE TYPE: cDNA

## (ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 97..531

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:31:

GGATACGATC GGTCTGACCC CGGGGGAGTC ACCCGGGGAC AGGCCATCAC TGCCTTGTTTC	60
CTGGTTGGAA CTCCTCTTTC TGCTGTACTA TCGTTG ATG GTG AGT AGA GAT CAG	114
Met Val Ser Arg Asp Gln	
1015	
ACA AAC GAT CGC AGC GAT GAC AAA CCT GAT GGA TCA CAC CCA ACA GAT	162
Thr Asn Asp Arg Ser Asp Asp Lys Pro Asp Gly Ser His Pro Thr Asp	
1020 1025 1030	
TGT TCC GTT CAT ACG GAG CCT TCT GAT GCC AAC GAC CGG ACC GGC GTC	210
Cys Ser Val His Thr Glu Pro Ser Asp Ala Asn Asp Arg Thr Gly Val	
1035 1040 1045 1050	
CAT TCC GGA CGA CAC CCT GGA GAA GCA CAC ACT CAG GTC CGA AAC CTC	258
His Ser Gly Arg His Pro Gly Glu Ala His Thr Gln Val Arg Asn Leu	
1055 1060 1065	
GAC TTA CAA CTT GAC TGT AGG GGA TAC AGG GTC AGG ACT AAT TGT CTT	306

[illegible]

GAGCATTG G CTTTAAGGAC ATAATCCGAG CCATTCCGAA GATTGCGGTG CCAGTGGTAT 1511  
CCACACTCTT CCCTCCAGCT GCACCCCTAG CACATGCAAT CGGAGAAGGT GTAGACTACC 1571  
TCCTGGGCGA CGAGGCCCAA GCAGCCTCAG GGACAGCTCG AGCCGCGTCA GGAAAAGCTA 1631  
GAGCTGCCTC AGGACGAATA AGGCAGCTAA CTCTCGCAGC TGACAAGGGG TCGAGGTTAG 1691  
TCGCCAACAT GTTCCAGGTG CCCCAGAATC CCATTGTTGA TGGCATTCTG GCATCCCCAG 1751  
GAATCCTGCG TGGCGCACAC AACCTCGACT GCGTGCTATG GGAGGGAGCC ACTCTTTTCC 1811  
CTGTTGTCAT TACGACACTC GAGGATGAGC TGACCCCCAA GGCAGTGAAC AGCAAAATGT 1871  
TTGCTGTCAT TGAAGGTGTG CGAGAGGACC TCCAGCCTCC ATCCCAACGG GGATCCTTCA 1931  
TTCGAACTCT CTCTGGCCAT AGAGTCTATG GCTATGCCCC AGACGGAGTA CTGCCTCTGG 1991  
AGACCGGGAG AGACTACACC GTTGTCCCAA TTGATGATGT GTGGGACGAT AGCATAATGC 2051  
TGTCGCAGGA CCCCATACCT CCAATCATAG GGAACAGCGG CAACCTAGCC ATAGCATACA 2111  
TGGATGTCTT CAGGCCCAAG GTCCCCATCC ACGTGGCTAT GACAGGGGCC CTCAATGCCC 2171  
GCGGTGAGAT CGAGAGTGTT ACGTTCCGCA GCACCAAAC CGCCACAGCC CACCGACTTG 2231  
GCATGAAGTT AGCTGGTCCT GGAGCCTATG ACATTAATAC AGGACCTAAC TGGGCAACGT 2291  
TCGTCAAACG TTTCCCTCAC AATCCCCGAG ACTGGGACAG GTTGCCCTAC CTCAACCTTC 2351  
CTTATCTCCC ACCAACAGCA GGACGTCAGT TCCATCTAGC CCTGGCTGCC TCCGAGTTCA 2411  
AAGAGACCCC AGAACTCGAA GACGCTGTGC GCGCAATGGA TGCCGCTGCA AATGCCGACC 2471  
CATTGTTCCG CTCAGCTCTC CAGGTCTTCA TGTGGTTGGA AGAAAACGGG ATTGTGACCG 2531  
ACATGGCTAA CTTGCCCCCTC AGCGACCCAA ACGCGCATAG GATGAAAAAC TTCCTAGCAA 2591  
ACGCACCCCA GGCTGGAAGC AAGTCGCAGA GGGCCAAGTA TGGCACGGCA GGCTACGGAG 2651  
TGGAGGCTCG AGGCCCCACA CCAGAAGAGG CACAGAGGGA AAAAGACACA CGGATCTCCA 2711  
AGAAGATGGA AACAATGGGC ATCTACTTCG CGACACCGGA ATGGGTGGCT CTCAACGGGC 2771  
ACCGAGGCCC AAGCCCCGGC CAACTCAAGT ACTGGCAAAA CACAAGAGAA ATACCAGAGC 2831  
CCAATGAGGA CTACCCAGAC TATGTGCACG CGGAGAAGAG CCGGTTGGCG TCAGAAGAAC 2891  
AGATCCTACG GGCAGCCACG TCGATCTACG GGGCTCCAGG ACAGGCTGAA CCACCCAGG 2951  
CCTTCATAGA CGAGGTCGCC AGGGTCTATG AAATCAACCA TGGGCGTGGT CCAAACCAGG 3011

AGCAGATGAA GGACCTGCTC CTGACTGCGA TGGAGATGAA GCATCGCAAT CCCAGGCGGG 3071  
 CTCCACCAAA GCCAAAGCCA AAACCCAATG CTCCATCACA GAGACCCCCT GGACGGCTGG 3131  
 GCCGCTGGAT CAGGACGGTC TCCGACGAGG ACTTGGAGTG AGGCTCCTGG GAGTCTCCCG 3191  
 AACTACCCG CGCAGGTGTG GACACCAATT CGGCCTTCTA CCATCCCAA TTGGATCCGT 3251  
 TCGCGGGTCC CCT 3264

(2) INFORMATION FOR SEQ ID NO:32:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 145 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:32:

Met	Val	Ser	Arg	Asp	Gln	Thr	Asn	Asp	Arg	Ser	Asp	Asp	Lys	Pro	Asp	1	5	10	15
Gly	Ser	His	Pro	Thr	Asp	Cys	Ser	Val	His	Thr	Glu	Pro	Ser	Asp	Ala	20	25	30	
Asn	Asp	Arg	Thr	Gly	Val	His	Ser	Gly	Arg	His	Pro	Gly	Glu	Ala	His	35	40	45	
Thr	Gln	Val	Arg	Asn	Leu	Asp	Leu	Gln	Leu	Asp	Cys	Arg	Gly	Tyr	Arg	50	55	60	
Val	Arg	Thr	Asn	Cys	Leu	Phe	Pro	Trp	Ile	Pro	Trp	Phe	Ser	Cys	Arg	65	70	75	80
Cys	Ser	Leu	His	Thr	Ala	Glu	Gln	Trp	Glu	Leu	Pro	Ile	Arg	Pro	Asp	85	90	95	
Ala	Pro	Asp	Ser	Ala	Glu	Pro	Ala	Cys	Gln	Leu	Gln	Leu	Leu	Gln	Ala	100	105	110	
Ser	Glu	Gln	Glu	Ser	Asn	Arg	Thr	Val	Lys	His	Thr	Pro	Trp	Trp	Arg	115	120	125	
Leu	Cys	Thr	Lys	Arg	Asn	His	Lys	Arg	Ser	Asp	Leu	Pro	Arg	Lys	Pro	130	135	140	
Glu																145			

(2) INFORMATION FOR SEQ ID NO:33:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 3264 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: single  
(D) TOPOLOGY: circular

(ii) MOLECULE TYPE: cDNA

(ix) **FEATURE:**

- (A) NAME/KEY: CDS  
(B) LOCATION: 131..3169

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:

GGATACGATC	GGTCTGACCC	CGGGGGAGTC	ACCCGGGGAC	AGGCCATCAC	TGCCTTGTTT	60
CTGGTTGGAA	CTCCTCTTTC	TGCTGTACTA	TCGTTGATGG	TGAGTAGAGA	TCAGACAAAC	120
GATCGCAGCG	ATG ACA AAC	CTG ATG GAT	CAC ACC CAA	CAG ATT GTT	CCG	169
	Met Thr Asn	Leu Met Asp	His Thr Gln	Gln Ile Val	Pro	
		150		155		
TTC ATA CGG	AGC CTT CTG	ATG CCA ACG	ACC GGA CCG	GCG TCC ATT	CCG	217
Phe Ile Arg	Ser Leu Leu	Met Pro Thr	Thr Gly Pro	Ala Ser Ile	Pro	
	160	165		170		
GAC GAC ACC	CTG GAG AAG	CAC ACA CTC	AGG TCC GAA	ACC TCG ACT	TAC	265
Asp Asp Thr	Leu Glu Lys	His Thr Leu	Arg Ser Glu	Thr Ser Thr	Tyr	
175		180		185	190	
AAC TTG ACT	GTA GGG GAT	ACA GGG TCA	GGA CTA ATT	GTC TTT TTC	CCT	313
Asn Leu Thr	Val Gly Asp	Thr Gly Ser	Gly Leu Ile	Val Phe Phe	Pro	
	195		200		205	
GGA TTC CCT	GGT TCA GTT	GTA GGT GCT	CAC TAC ACA	CTG CAG AGC	AGT	361
Gly Phe Pro	Gly Ser Val	Val Gly Ala	His Tyr Thr	Leu Gln Ser	Ser	
	210		215		220	
GGG AAC TAC	CAA TTC GAC	CAG ATG CTC	CTG ACA GCG	CAG AAC CTG	CCT	409
Gly Asn Tyr	Gln Phe Asp	Gln Met Leu	Leu Thr Ala	Gln Asn Leu	Pro	
	225		230		235	
GCC AGC TAC	AAC TAC TGC	AGG CTA GTG	AGC AGG AGT	CTA ACC GTA	CGG	457
Ala Ser Tyr	Asn Tyr Cys	Arg Leu Val	Ser Arg Ser	Leu Thr Val	Arg	
	240		245		250	



TCA	AGC	ACA	CTC	CCT	GGT	GGC	GTT	TAT	GCA	CTA	AAC	GGA	ACC	ATA	AAC	505
Ser	Ser	Thr	Leu	Pro	Gly	Gly	Val	Tyr	Ala	Leu	Asn	Gly	Thr	Ile	Asn	
255					260					265					270	
GCA	GTG	ACC	TTC	CAC	GGA	AGC	CTG	AGT	GAG	TTG	ACT	GAC	TAC	AGC	TAC	553
Ala	Val	Thr	Phe	His	Gly	Ser	Leu	Ser	Glu	Leu	Thr	Asp	Tyr	Ser	Tyr	
				275					280					285		
AAC	GGG	CTG	ATG	TCA	GCC	ACT	GCG	AAC	ATC	AAC	GAC	AAG	ATC	GGG	AAC	601
Asn	Gly	Leu	Met	Ser	Ala	Thr	Ala	Asn	Ile	Asn	Asp	Lys	Ile	Gly	Asn	
			290					295					300			
GTT	CTA	GTT	GGA	GAA	GGG	GTG	ACT	GTT	CTC	AGT	CTA	CCG	ACT	TCA	TAT	649
Val	Leu	Val	Gly	Glu	Gly	Val	Thr	Val	Leu	Ser	Leu	Pro	Thr	Ser	Tyr	
		305					310						315			
GAC	CTT	AGT	TAT	GTG	AGA	CTC	GGT	GAC	CCC	ATC	CCC	GCA	GCA	GGA	CTC	697
Asp	Leu	Ser	Tyr	Val	Arg	Leu	Gly	Asp	Pro	Ile	Pro	Ala	Ala	Gly	Leu	
	320					325					330					
GAC	CCG	AAG	TTG	ATG	GCC	ACG	TGC	GAC	AGT	AGT	GAC	AGA	CCC	AGA	GTC	745
Asp	Pro	Lys	Leu	Met	Ala	Thr	Cys	Asp	Ser	Ser	Asp	Arg	Pro	Arg	Val	
335					340				345						350	
TAC	ACC	ATA	ACA	GCT	GCA	GAT	GAA	TAC	CAA	TTC	TCG	TCA	CAA	CTC	ATC	793
Tyr	Thr	Ile	Thr	Ala	Ala	Asp	Glu	Tyr	Gln	Phe	Ser	Ser	Gln	Leu	Ile	
				355					360					365		
CCG	AGT	GGC	GTG	AAG	ACC	ACA	CTG	TTC	TCC	GCC	AAC	ATC	GAT	GCT	CTC	841
Pro	Ser	Gly	Val	Lys	Thr	Thr	Leu	Phe	Ser	Ala	Asn	Ile	Asp	Ala	Leu	
			370					375					380			
ACC	AGC	TTC	AGC	GTT	GGT	GGT	GAG	CTT	GTC	TTC	AGC	CAA	GTA	ACG	ATC	889
Thr	Ser	Phe	Ser	Val	Gly	Gly	Glu	Leu	Val	Phe	Ser	Gln	Val	Thr	Ile	
		385					390					395				
CAA	AGC	ATT	GAA	GTG	GAC	GTC	ACC	ATT	CAC	TTC	ATT	GGG	TTT	GAC	GGG	937
Gln	Ser	Ile	Glu	Val	Asp	Val	Thr	Ile	His	Phe	Ile	Gly	Phe	Asp	Gly	
	400					405					410					
ACA	GAC	GTA	GCA	GTC	AAG	GCA	GTT	GCA	ACA	GAC	TTT	GGG	CTG	ACA	ACT	985
Thr	Asp	Val	Ala	Val	Lys	Ala	Val	Ala	Thr	Asp	Phe	Gly	Leu	Thr	Thr	
415					420					425					430	
GGG	ACA	AAC	AAC	CTT	GTG	CCA	TTC	AAC	CTG	GTG	GTC	CCA	ACA	AAT	GAG	1033
Gly	Thr	Asn	Asn	Leu	Val	Pro	Phe	Asn	Leu	Val	Val	Pro	Thr	Asn	Glu	
				435					440					445		
ATC	ACC	CAG	CCC	ATC	ACT	TCC	ATG	AAA	CTA	GAG	GTT	GTG	ACC	TAC	AAG	1081
Ile	Thr	Gln	Pro	Ile	Thr	Ser	Met	Lys	Leu	Glu	Val	Val	Thr	Tyr	Lys	
			450					455					460			

ATT GGC GGC ACC GCT GGT GAC CCA ATA TCA TGG ACA GTG AGT GGT ACA	1129
Ile Gly Gly Thr Ala Gly Asp Pro Ile Ser Trp Thr Val Ser Gly Thr	
465 470 475	
CTA GCT GTG ACG GTG CAC GGA GGC AAC TAC CCT GGG GCT CTC CGT CCT	1177
Leu Ala Val Thr Val His Gly Gly Asn Tyr Pro Gly Ala Leu Arg Pro	
480 485 490	
GTC ACC CTG GTG GCC TAT GAA CGA GTG GCT GCA GGA TCT GTT GTC ACA	1225
Val Thr Leu Val Ala Tyr Glu Arg Val Ala Ala Gly Ser Val Val Thr	
495 500 505 510	
GTT GCA GGG GTG AGC AAC TTC GAG CTA ATC CCC AAC CCT GAG CTT GCA	1273
Val Ala Gly Val Ser Asn Phe Glu Leu Ile Pro Asn Pro Glu Leu Ala	
515 520 525	
AAG AAC CTA GTT ACA GAG TAT GGC CGC TTT GAC CCC GGA GCA ATG AAC	1321
Lys Asn Leu Val Thr Glu Tyr Gly Arg Phe Asp Pro Gly Ala Met Asn	
530 535 540	
TAC ACC AAA CTA ATA CTG AGT GAG AGA GAT CGT CTA GGC ATC AAG ACA	1369
Tyr Thr Lys Leu Ile Leu Ser Glu Arg Asp Arg Leu Gly Ile Lys Thr	
545 550 555	
GTC TGG CCC ACC AGG GAG TAC ACC GAT TTC AGG GAG TAC TTC ATG GAG	1417
Val Trp Pro Thr Arg Glu Tyr Thr Asp Phe Arg Glu Tyr Phe Met Glu	
560 565 570	
GTT GCA GAT CTC AAC TCA CCC CTA AAG ATT GCA GGA GCA TTT GGC TTT	1465
Val Ala Asp Leu Asn Ser Pro Leu Lys Ile Ala Gly Ala Phe Gly Phe	
575 580 585 590	
AAG GAC ATA ATC CGA GCC ATT CGG AAG ATT GCG GTG CCA GTG GTA TCC	1513
Lys Asp Ile Ile Arg Ala Ile Arg Lys Ile Ala Val Pro Val Val Ser	
595 600 605	
ACA CTC TTC CCT CCA GCT GCA CCC CTA GCA CAT GCA ATC GGA GAA GGT	1561
Thr Leu Phe Pro Pro Ala Ala Pro Leu Ala His Ala Ile Gly Glu Gly	
610 615 620	
GTA GAC TAC CTC CTG GGC GAC GAG GCC CAA GCA GCC TCA GGG ACA GCT	1609
Val Asp Tyr Leu Leu Gly Asp Glu Ala Gln Ala Ala Ser Gly Thr Ala	
625 630 635	
CGA GCC GCG TCA GGA AAA GCT AGA GCT GCC TCA GGA CGA ATA AGG CAG	1657
Arg Ala Ala Ser Gly Lys Ala Arg Ala Ala Ser Gly Arg Ile Arg Gln	
640 645 650	
CTA ACT CTC GCA GCT GAC AAG GGG TGC GAG GTA GTC GCC AAC ATG TTC	1705
Leu Thr Leu Ala Ala Asp Lys Gly Cys Glu Val Val Ala Asn Met Phe	
655 660 665 670	

CAG	GTG	CCC	CAG	AAT	CCC	ATT	GTT	GAT	GGC	ATT	CTG	GCA	TCC	CCA	GGA	1753
Gln	Val	Pro	Gln	Asn	Pro	Ile	Val	Asp	Gly	Ile	Leu	Ala	Ser	Pro	Gly	
				675					680						685	
ATC	CTG	CGT	GGC	GCA	CAC	AAC	CTC	GAC	TGC	GTG	CTA	TGG	GAG	GGA	GCC	1801
Ile	Leu	Arg	Gly	Ala	His	Asn	Leu	Asp	Cys	Val	Leu	Trp	Glu	Gly	Ala	
			690					695					700			
ACT	CTT	TTC	CCT	GTT	GTC	ATT	ACG	ACA	CTC	GAG	GAT	GAG	CTG	ACC	CCC	1849
Thr	Leu	Phe	Pro	Val	Val	Ile	Thr	Thr	Leu	Glu	Asp	Glu	Leu	Thr	Pro	
		705					710					715				
AAG	GCA	CTG	AAC	AGC	AAA	ATG	TTT	GCT	GTC	ATT	GAA	GGT	GTG	CGA	GAG	1897
Lys	Ala	Leu	Asn	Ser	Lys	Met	Phe	Ala	Val	Ile	Glu	Gly	Val	Arg	Glu	
	720					725					730					
GAC	CTC	CAG	CCT	CCA	TCC	CAA	CGG	GGA	TCC	TTC	ATT	CGA	ACT	CTC	TCT	1945
Asp	Leu	Gln	Pro	Pro	Ser	Gln	Arg	Gly	Ser	Phe	Ile	Arg	Thr	Leu	Ser	
735					740					745					750	
GGC	CAT	AGA	GTC	TAT	GGC	TAT	GCC	CCA	GAC	GGA	GTA	CTG	CCT	CTG	GAG	1993
Gly	His	Arg	Val	Tyr	Gly	Tyr	Ala	Pro	Asp	Gly	Val	Leu	Pro	Leu	Glu	
			755					760						765		
ACC	GGG	AGA	GAC	TAC	ACC	GTT	GTC	CCA	ATT	GAT	GAT	GTG	TGG	GAC	GAT	2041
Thr	Gly	Arg	Asp	Tyr	Thr	Val	Val	Pro	Ile	Asp	Asp	Val	Trp	Asp	Asp	
			770					775					780			
AGC	ATA	ATG	CTG	TCG	CAG	GAC	CCC	ATA	CCT	CCA	ATC	ATA	GGG	AAC	AGC	2089
Ser	Ile	Met	Leu	Ser	Gln	Asp	Pro	Ile	Pro	Pro	Ile	Ile	Gly	Asn	Ser	
	785						790					795				
GGC	AAC	CTA	GCC	ATA	GCA	TAC	ATG	GAT	GTC	TTC	AGG	CCC	AAG	GTC	CCC	2137
Gly	Asn	Leu	Ala	Ile	Ala	Tyr	Met	Asp	Val	Phe	Arg	Pro	Lys	Val	Pro	
	800					805					810					
ATC	CAC	GTG	GCT	ATG	ACA	GGG	GCC	CTC	AAT	GCC	CGC	GGT	GAG	ATC	GAG	2185
Ile	His	Val	Ala	Met	Thr	Gly	Ala	Leu	Asn	Ala	Arg	Gly	Glu	Ile	Glu	
815					820					825					830	
AGT	GTT	ACG	TTC	CGC	AGC	ACC	AAA	CTC	GCC	ACA	GCC	CAC	CGA	CTT	GGC	2233
Ser	Val	Thr	Phe	Arg	Ser	Thr	Lys	Leu	Ala	Thr	Ala	His	Arg	Leu	Gly	
			835					840						845		
ATG	AAG	TTA	GCT	GGT	CCT	GGA	GCC	TAT	GAC	ATT	AAT	ACA	GGA	CCT	AAC	2281
Met	Lys	Leu	Ala	Gly	Pro	Gly	Ala	Tyr	Asp	Ile	Asn	Thr	Gly	Pro	Asn	
			850					855					860			
TGG	GCA	ACG	TTC	GTC	AAA	CGT	TTC	CCT	CAC	AAT	CCC	CGA	GAC	TGG	GAC	2329
Trp	Ala	Thr	Phe	Val	Lys	Arg	Phe	Pro	His	Asn	Pro	Arg	Asp	Trp	Asp	
	865						870					875				

AGG	TTG	CCC	TAC	CTC	AAC	CTT	CCT	TAT	CTC	CCA	CCA	ACA	GCA	GGA	CGT	2377
Arg	Leu	Pro	Tyr	Leu	Asn	Leu	Pro	Tyr	Leu	Pro	Pro	Thr	Ala	Gly	Arg	
880						885					890					
CAG	TTC	CAT	CTA	GCC	CTG	GCT	GCC	TCC	GAG	TTC	AAA	GAG	ACC	CCA	GAA	2425
Gln	Phe	His	Leu	Ala	Leu	Ala	Ala	Ser	Glu	Phe	Lys	Glu	Thr	Pro	Glu	
895					900				905						910	
CTC	GAA	GAC	GCT	GTG	CGC	GCA	ATG	GAT	GCC	GCT	GCA	AAT	GCC	GAC	CCA	2473
Leu	Glu	Asp	Ala	Val	Arg	Ala	Met	Asp	Ala	Ala	Ala	Asn	Ala	Asp	Pro	
				915					920					925		
TTG	TTC	CGC	TCA	GCT	CTC	CAG	GTC	TTC	ATG	TGG	TTG	GAA	GAA	AAC	GGG	2521
Leu	Phe	Arg	Ser	Ala	Leu	Gln	Val	Phe	Met	Trp	Leu	Glu	Glu	Asn	Gly	
			930					935						940		
ATT	GTG	ACC	GAC	ATG	GCT	AAC	TTC	GCC	CTC	AGC	GAC	CCA	AAC	GCG	CAT	2569
Ile	Val	Thr	Asp	Met	Ala	Asn	Phe	Ala	Leu	Ser	Asp	Pro	Asn	Ala	His	
		945					950					955				
AGG	ATG	AAA	AAC	TTC	CTA	GCA	AAC	GCA	CCC	CAG	GCT	GGA	AGC	AAG	TCG	2617
Arg	Met	Lys	Asn	Phe	Leu	Ala	Asn	Ala	Pro	Gln	Ala	Gly	Ser	Lys	Ser	
960						965					970					
CAG	AGG	GCC	AAG	TAT	GGC	ACG	GCA	GGC	TAC	GGA	GTG	GAG	GCT	CGA	GGC	2665
Gln	Arg	Ala	Lys	Tyr	Gly	Thr	Ala	Gly	Tyr	Gly	Val	Glu	Ala	Arg	Gly	
975					980				985						990	
CCC	ACA	CCA	GAA	GAG	GCA	CAG	AGG	GAA	AAA	GAC	ACA	CGG	ATC	TCC	AAG	2713
Pro	Thr	Pro	Glu	Glu	Ala	Gln	Arg	Glu	Lys	Asp	Thr	Arg	Ile	Ser	Lys	
				995					1000					1005		
AAG	ATG	GAA	ACA	ATG	GGC	ATC	TAC	TTC	GCG	ACA	CCG	GAA	TGG	GTG	GCT	2761
Lys	Met	Glu	Thr	Met	Gly	Ile	Tyr	Phe	Ala	Thr	Pro	Glu	Trp	Val	Ala	
			1010					1015					1020			
CTC	AAC	GGG	CAC	CGA	GGC	CCA	AGC	CCC	GGC	CAA	CTC	AAG	TAC	TGG	CAA	2809
Leu	Asn	Gly	His	Arg	Gly	Pro	Ser	Pro	Gly	Gln	Leu	Lys	Tyr	Trp	Gln	
		1025					1030					1035				
AAC	ACA	AGA	GAA	ATA	CCA	GAG	CCC	AAT	GAG	GAC	TAC	CCA	GAC	TAT	GTG	2857
Asn	Thr	Arg	Glu	Ile	Pro	Glu	Pro	Asn	Glu	Asp	Tyr	Pro	Asp	Tyr	Val	
	1040					1045				1050						
CAC	GCG	GAG	AAG	AGC	CGG	TTG	GCG	TCA	GAA	GAA	CAG	ATC	CTA	CGG	GCA	2905
His	Ala	Glu	Lys	Ser	Arg	Leu	Ala	Ser	Glu	Glu	Gln	Ile	Leu	Arg	Ala	
1055					1060					1065					1070	
GCC	ACG	TCG	ATC	TAC	GGG	GCT	CCA	GGA	CAG	GCT	GAA	CCA	CCC	CAG	GCC	2953
Ala	Thr	Ser	Ile	Tyr	Gly	Ala	Pro	Gly	Gln	Ala	Glu	Pro	Pro	Gln	Ala	
			1075					1080						1085		

TTC ATA GAC GAG GTC GCC AGG GTC TAT GAA ATC AAC CAT GGG CGT GGT 3001  
 Phe Ile Asp Glu Val Ala Arg Val Tyr Glu Ile Asn His Gly Arg Gly  
 1090 1095 1100

CCA AAC CAG GAG CAG ATG AAG GAC CTG CTC CTG ACT GCG ATG GAG ATG 3049  
 Pro Asn Gln Glu Gln Met Lys Asp Leu Leu Leu Thr Ala Met Glu Met  
 1105 1110 1115

AAG CAT CGC AAT CCC AGG CGG GCT CCA CCA AAG CCA AAG CCA AAA CCC 3097  
 Lys His Arg Asn Pro Arg Arg Ala Pro Pro Lys Pro Lys Pro Lys Pro  
 1120 1125 1130

AAT GCT CCA TCA CAG AGA CCC CCT GGA CGG CTG GGC CGC TGG ATC AGG 3145  
 Asn Ala Pro Ser Gln Arg Pro Pro Gly Arg Leu Gly Arg Trp Ile Arg  
 1135 1140 1145 1150

ACG GTC TCC GAC GAG GAC TTG GAG TGAGGCTCCT GGGAGTCTCC CGACACTACC 3199  
 Thr Val Ser Asp Glu Asp Leu Glu  
 1155

CGCGCAGGTG TGGACACCAA TTCGGCCTTC TACCATCCCA AATTGGATCC GTTCGCGGGT 3259  
 CCCCT 3264

## (2) INFORMATION FOR SEQ ID NO:34:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1013 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

## (ii) MOLECULE TYPE: protein

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:

Met Thr Asn Leu Met Asp His Thr Gln Gln Ile Val Pro Phe Ile Arg  
 1 5 10 15

Ser Leu Leu Met Pro Thr Thr Gly Pro Ala Ser Ile Pro Asp Asp Thr  
 20 25 30

Leu Glu Lys His Thr Leu Arg Ser Glu Thr Ser Thr Tyr Asn Leu Thr  
 35 40 45

Val Gly Asp Thr Gly Ser Gly Leu Ile Val Phe Phe Pro Gly Phe Pro  
 50 55 60

Gly Ser Val Val Gly Ala His Tyr Thr Leu Gln Ser Ser Gly Asn Tyr  
 65 70 75 80

Gln Phe Asp Gln Met Leu Leu Thr Ala Gln Asn Leu Pro Ala Ser Tyr

60

	85		90		95
Asn Tyr Cys Arg Leu Val Ser Arg Ser Leu Thr Val Arg Ser Ser Thr	100		105		110
Leu Pro Gly Gly Val Tyr Ala Leu Asn Gly Thr Ile Asn Ala Val Thr	115		120		125
Phe His Gly Ser Leu Ser Glu Leu Thr Asp Tyr Ser Tyr Asn Gly Leu	130		135		140
Met Ser Ala Thr Ala Asn Ile Asn Asp Lys Ile Gly Asn Val Leu Val	145		150		155
					160
Gly Glu Gly Val Thr Val Leu Ser Leu Pro Thr Ser Tyr Asp Leu Ser	165		170		175
Tyr Val Arg Leu Gly Asp Pro Ile Pro Ala Ala Gly Leu Asp Pro Lys	180		185		190
Leu Met Ala Thr Cys Asp Ser Ser Asp Arg Pro Arg Val Tyr Thr Ile	195		200		205
Thr Ala Ala Asp Glu Tyr Gln Phe Ser Ser Gln Leu Ile Pro Ser Gly	210		215		220
Val Lys Thr Thr Leu Phe Ser Ala Asn Ile Asp Ala Leu Thr Ser Phe	225		230		235
					240
Ser Val Gly Gly Glu Leu Val Phe Ser Gln Val Thr Ile Gln Ser Ile	245		250		255
Glu Val Asp Val Thr Ile His Phe Ile Gly Phe Asp Gly Thr Asp Val	260		265		270
Ala Val Lys Ala Val Ala Thr Asp Phe Gly Leu Thr Thr Gly Thr Asn	275		280		285
Asn Leu Val Pro Phe Asn Leu Val Val Pro Thr Asn Glu Ile Thr Gln	290		295		300
Pro Ile Thr Ser Met Lys Leu Glu Val Val Thr Tyr Lys Ile Gly Gly	305		310		315
					320
Thr Ala Gly Asp Pro Ile Ser Trp Thr Val Ser Gly Thr Leu Ala Val	325		330		335
Thr Val His Gly Gly Asn Tyr Pro Gly Ala Leu Arg Pro Val Thr Leu	340		345		350
Val Ala Tyr Glu Arg Val Ala Ala Gly Ser Val Val Thr Val Ala Gly	355		360		365

Val Ser Asn Phe Glu Leu Ile Pro Asn Pro Glu Leu Ala Lys Asn Leu  
 370 375 380

Val Thr Glu Tyr Gly Arg Phe Asp Pro Gly Ala Met Asn Tyr Thr Lys  
 385 390 395 400

Leu Ile Leu Ser Glu Arg Asp Arg Leu Gly Ile Lys Thr Val Trp Pro  
 405 410 415

Thr Arg Glu Tyr Thr Asp Phe Arg Glu Tyr Phe Met Glu Val Ala Asp  
 420 425 430

Leu Asn Ser Pro Leu Lys Ile Ala Gly Ala Phe Gly Phe Lys Asp Ile  
 435 440 445

Ile Arg Ala Ile Arg Lys Ile Ala Val Pro Val Val Ser Thr Leu Phe  
 450 455 460

Pro Pro Ala Ala Pro Leu Ala His Ala Ile Gly Glu Gly Val Asp Tyr  
 465 470 475 480

Leu Leu Gly Asp Glu Ala Gln Ala Ala Ser Gly Thr Ala Arg Ala Ala  
 485 490 495

Ser Gly Lys Ala Arg Ala Ala Ser Gly Arg Ile Arg Gln Leu Thr Leu  
 500 505 510

Ala Ala Asp Lys Gly Cys Glu Val Val Ala Asn Met Phe Gln Val Pro  
 515 520 525

Gln Asn Pro Ile Val Asp Gly Ile Leu Ala Ser Pro Gly Ile Leu Arg  
 530 535 540

Gly Ala His Asn Leu Asp Cys Val Leu Trp Glu Gly Ala Thr Leu Phe  
 545 550 555 560

Pro Val Val Ile Thr Thr Leu Glu Asp Glu Leu Thr Pro Lys Ala Leu  
 565 570 575

Asn Ser Lys Met Phe Ala Val Ile Glu Gly Val Arg Glu Asp Leu Gln  
 580 585 590

Pro Pro Ser Gln Arg Gly Ser Phe Ile Arg Thr Leu Ser Gly His Arg  
 595 600 605

Val Tyr Gly Tyr Ala Pro Asp Gly Val Leu Pro Leu Glu Thr Gly Arg  
 610 615 620

Asp Tyr Thr Val Val Pro Ile Asp Asp Val Trp Asp Asp Ser Ile Met  
 625 630 635 640

Leu Ser Gln Asp Pro Ile Pro Pro Ile Ile Gly Asn Ser Gly Asn Leu  
                                 645                                650                                655

Ala Ile Ala Tyr Met Asp Val Phe Arg Pro Lys Val Pro Ile His Val  
                                 660                                665                                670

Ala Met Thr Gly Ala Leu Asn Ala Arg Gly Glu Ile Glu Ser Val Thr  
                                 675                                680                                685

Phe Arg Ser Thr Lys Leu Ala Thr Ala His Arg Leu Gly Met Lys Leu  
                                 690                                695                                700

Ala Gly Pro Gly Ala Tyr Asp Ile Asn Thr Gly Pro Asn Trp Ala Thr  
 705                                710                                715                                720

Phe Val Lys Arg Phe Pro His Asn Pro Arg Asp Trp Asp Arg Leu Pro  
                                 725                                730                                735

Tyr Leu Asn Leu Pro Tyr Leu Pro Pro Thr Ala Gly Arg Gln Phe His  
                                 740                                745                                750

Leu Ala Leu Ala Ala Ser Glu Phe Lys Glu Thr Pro Glu Leu Glu Asp  
                                 755                                760                                765

Ala Val Arg Ala Met Asp Ala Ala Ala Asn Ala Asp Pro Leu Phe Arg  
                                 770                                775                                780

Ser Ala Leu Gln Val Phe Met Trp Leu Glu Glu Asn Gly Ile Val Thr  
 785                                790                                795                                800

Asp Met Ala Asn Phe Ala Leu Ser Asp Pro Asn Ala His Arg Met Lys  
                                 805                                810                                815

Asn Phe Leu Ala Asn Ala Pro Gln Ala Gly Ser Lys Ser Gln Arg Ala  
                                 820                                825                                830

Lys Tyr Gly Thr Ala Gly Tyr Gly Val Glu Ala Arg Gly Pro Thr Pro  
                                 835                                840                                845

Glu Glu Ala Gln Arg Glu Lys Asp Thr Arg Ile Ser Lys Lys Met Glu  
                                 850                                855                                860

Thr Met Gly Ile Tyr Phe Ala Thr Pro Glu Trp Val Ala Leu Asn Gly  
 865                                870                                875                                880

His Arg Gly Pro Ser Pro Gly Gln Leu Lys Tyr Trp Gln Asn Thr Arg  
                                 885                                890                                895

Glu Ile Pro Glu Pro Asn Glu Asp Tyr Pro Asp Tyr Val His Ala Glu  
                                 900                                905                                910



Lys Ser Arg Leu Ala Ser Glu Glu Gln Ile Leu Arg Ala Ala Thr Ser  
915 920 925

Ile Tyr Gly Ala Pro Gly Gln Ala Glu Pro Pro Gln Ala Phe Ile Asp  
930 935 940

Glu Val Ala Arg Val Tyr Glu Ile Asn His Gly Arg Gly Pro Asn Gln  
945 950 955 960

Glu Gln Met Lys Asp Leu Leu Leu Thr Ala Met Glu Met Lys His Arg  
965 970 975

Asn Pro Arg Arg Ala Pro Pro Lys Pro Lys Pro Lys Pro Asn Ala Pro  
980 985 990

Ser Gln Arg Pro Pro Gly Arg Leu Gly Arg Trp Ile Arg Thr Val Ser  
995 1000 1005

Asp Glu Asp Leu Glu  
1010

## Claims

1. A method for preparing live Birnavirus, comprising the following steps:
  - preparing a cDNA containing infectious bursal disease virus genome segments A and B,
  - transcribing said cDNA to produce synthetic RNA transcripts,
  - transfecting host cells with said synthetic RNA transcripts,
  - incubating said host cells in a culture medium, and
  - isolating live infectious bursal disease virus from said culture medium.
2. The method according to claim 1, wherein said Birnavirus is infectious bursal disease virus.
3. The method according to claim 1, wherein said host cells are African green monkey Vero cells.
4. The method according to claim 1, wherein said segments A and B of said cDNA are independently prepared.
5. The method according to claim 4, wherein said segment A is present in plasmid pUC19FLAD78 or pUC18FLA23.
6. The method according to claim 4, wherein said segment B is present in plasmid pUC18FLBP2.
7. A live infectious bursal disease virus, wherein said virus is made by a process comprising the steps of preparing a cDNA containing infectious bursal disease virus genome segments A and B,
  - transcribing said cDNA to produce a synthetic RNA transcript,
  - transfecting a host cell with said synthetic RNA transcript,
  - incubating said host cell in a culture medium, and
  - isolating live infectious bursal disease virus from said culture medium.
8. A synthetic RNA encoding proteins VP1, VP2, VP3, VP4, and VP5 of infectious bursal disease virus.
9. A host cell transfected with the synthetic RNA according to claim 8.
10. A cDNA containing at least a portion of the infectious bursal disease virus genome selected from the group consisting of segment A,

segment B and segments A and B of infectious bursal disease virus, wherein said cDNA includes the 5' and 3' termini of said segments.

11. A recombinant vector comprising the cDNA according to claim 10.

12. The vector according to claim 11, wherein said vector is a plasmid.

13. The vector according to claim 12, wherein said plasmid is selected from the group consisting of pUC19FLAD78, pUC18FLA23 and pUC19FLBP2.

14. A host cell transformed with the vector according to claim 11.

15. A vaccine comprising an infectious bursal disease virus according to claim 7, wherein said infectious bursal disease virus is inactivated or attenuated prior to administration.

16. A method for producing a live infectious bursal disease virus vaccine, comprising the steps of

preparing a full-length cDNA containing infectious bursal disease virus genome segments A and B,

transcribing said cDNA to produce synthetic RNA transcripts,

purifying said synthetic RNA transcripts,

transfecting host cells with said purified RNA transcripts,

incubating said host cells in a culture medium,

isolating live infectious bursal disease virus from said culture medium,

attenuating said live infectious bursal disease virus to produce a virus with reduced virulence, and

combining said live infectious bursal disease virus with a pharmaceutically acceptable carrier to produce a live infectious bursal disease virus vaccine.


17. The method according to claim 16, wherein said live infectious bursal disease virus is attenuated by serial passage or site directed mutagenesis.

18. The method according to claim 1, wherein said host cells are poultry cells.


19. The method according to claim 18, wherein said poultry cells are chicken, turkey, or quail cells.

20. The method according to claim 19, wherein said poultry cells are chicken embryo fibroblast cells or chicken embryo kidney cells.


**Fig. 1**




**Fig. 4**



**Fig. 5**



**Fig. 6**



2/13




Fig.1A

3 / 13




Fig.1B

**pUC18FLBP2**

**SEQ ID No. 5**

TTTGAT6CCT6CA 66666CCCCC66CAGGCGAAG  
AACGTACGG ACGTCCCC66666CGTCC6CTTC

1 Ps11

**SEQ ID No. 6**

TCGTATCC TATAGTGAGTCGTATTAGAA TTC  
AGCATAGGATATCACTCAGCATAATCTTAAG

**EcoR I**

## Transcription

**Fig. 1C**



5 / 13




Fig. 2

**Fig. 3A**

7 / 13

## Segment B

23-82B	130	140	150	160	170	180
SEQ ID No. 10	TTTTCAATAGTCCACAGGCGGACGAAAGATCTCAGCAGCGTTTCGGCATAAAGCCTACTG					
23A/P2B	TTTTCAACA6TCCACAGGCGGAAAGCAGATCTCAGCAGCGTTTCGGCATAAAGCCTACTG					
SEQ ID No. 11	TTTTCAACA6TCCACAGGCGGAAAGCAGATCTCAGCAGCGTTTCGGCATAAAGCCTACTG					
P2B	TTTTCAACA6TCCACAGGCGGAAAGCAGATCTCAGCAGCGTTTCGGCATAAAGCCTACTG					
SEQ ID No. 12	130	140	150	160	170	180
23-82B	190	200	210	220	230	240
SEQ ID No. 10	CTG6ACAAGACGTG6AAGAACTCTTGATCCCCAAAGTCTG6GTGCCACCTGAGGATCCGC					
23A/P2B	CTG6ACAAGACGTG6AAGAACTCTTGATCCCTAAAGTTTGGGTGCCACCTGAGGATCCGC					
SEQ ID No. 11	CTG6ACAAGACGTG6AAGAACTCTTGATCCCTAAAGTTTGGGTGCCACCTGAGGATCCGC					
P2B	CTG6ACAAGACGTG6AAGAACTCTTGATCCCTAAAGTTTGGGTGCCACCTGAGGATCCGC					
SEQ ID No. 12	190	200	210	220	230	240

Fig.3B

8/13

Fig.4A

1	GGATACGATCGGTCTGACCCCGGGGAGTCAACCCGGGACAGGCCATCACTGCCCTTGTTCCTGGTTGGAA	70
71	CTCCTCTTTCTGCTGTAATACTCGTTGATGGTGAAGATCAGACAAACGATCGCAGCGATGACAAACC	60
141	TGATGGATCACACCCCAACAGATTGTTCCGTTTCATACGGAGCCTTCTGATGCCAACGACCGGACCGCGTC	50
211	CATTCCGGACGACACCCCTGGAGAAGCACACACTCAGGTCCGAAACCTCGACTTACAACCTTGACTGTAGGG	40
281	GATACAGGTCAGGACTAATTGTCCTTTTCCCTGGATTCCCTGGTTCCAGTTGAGTGTCTCACTACACAC	30
351	TGCAGAGCAGTGGGAACCTACCAATTGACACAGATGCTCTGACAGCGCAGAACCTGCCAGCTACAA	20
421	CTACTGCAGGCTAGTGAGCAGGAGTCTAACCGTACGGTCAAGCACACTCCCTGGTGGGCTTATGCACTA	10
491	AACGGAAACCATAAACGCAGTGACCTTCCACGGAAGCCTGAGTGAGTTGACTGACTACAGCTACAACGGGC	
561	TGATGTCAGCCACTGCGAACAATCAACGACAAGATCGGGAACGTTCTAGTTGGAGAAGGGTGACTGTTCT	
631	CAGTCTACCGACTTCATATGACCTTAGTTATGTGAGACTCGGTGACCCCATCCCCGACGAGGACTCGAC	
701	CCGAAGTTGATG6CCACGTGCGACAGTAGTGACAGACCCAGAGTCTACACCATAACAGCTGCAGATGAAT	
771	ACCAATTCTCGTCACAACCTCATCCCGAGTGGCGTGAAGACCCACACTGTTCTCCGCCAACATCGATGCTCT	
841	CACCAGCTTCAGCGTTGGTGGTGGTGTCTTCAGCCCAAGTAACGATCCAAAGCATTAAGTGGACGTC	
911	ACCATTCACCTTCAATTGGGTTTGACGGGACAGACGTAGCAGTCAAGGCAAGTTGCAACAGACTTTGGGCTGA	
981	CAACTGGGACAAACAACCTTGTCCTTCAACCTGGTGGTCCCAACAAATGAGATCACCCAGCCCATCAC	
1051	TTCCATGAAACTAGAGGTTGTGACCTACAAGATTGGCGGCACCGCTGGTGACCCAAATATCATGGACAGTG	
1121	AGTGGTACACTAGCTGTGACGGTGCACGGAGGCAACTACCTGGGGCTCTCCGTCTCACCCCTGGTGG	
1191	CCTATGAACGAGTGGCTGCAGGATCTGTTGTACAGTTGCAGGGGTGAGCAACTTCGAGCTAATCCCCAA	
1261	CCCTGAGCTTGCAAGAACCCTAGTTACAGAGTATGGCCGCTTTGACCCCGGAGCAATGAACCTACACCAA	
1331	CTAATACTGAGTGAGAGATCGTCTAGGCATCAAGACAGTCTGGCCACCCAGGAGTACACCGATTGGA	
1401	GGGAGTACTTCATGGAGGTGCAGATCTCAACTCACCCCTAAGATTGCAGGAGCATTTGGCTTTAAGGA	
1471	CATAATCCGAGCCATTCCGGAAGATTGCGGTGCCAGTGGTATCCACACTCTTCCCTCCAGCTGCACCCCTA	
1541	GCACATGCAATCGGAGAAGGTGTAGACTACCTCTCTGGCGGACGAGGCCCAAGCAGCTCAGGGACAGCTC	
1611	GAGCCGCTCAGGAAAGCTAGAGCTGCTCAGGACGAAATAGGCGAGCTAACTCTGCAGCTGACAAAGG	
1681	GTGCGAGGTAGTCGCCCAACATGTTCCAGGTGCCCCAGAAATCCCATGTTGATGGCATCTTGGCATCCCCA	
1751	GGAAATCCTGCGTGGCGCACACAAACCTCGACTGCGTGTCTATGGGAGGGAGGCCACTCTTTCCCTGTTGTCA	

9/13

```

1821 TTACGACACTCGAGGATGAGCTGACCCCAAGGCACTGAACAGCAAATGTTTGTCTCATTTGAAGGTGT
1891 GCGAGAGGACCTCCAGCCTCCATCCCAACGGGGATCCTTCATTGAACTCTCTCTGGCCA TAGAGTCTAT
1961 GGCTATGCCCCAGACGGAGTACTGCTCTGGAGACGGGAGAGACTACACCGTTGTCCCAATTGATGATG
2031 TGTGGACGATAGCATAATGCTGTGCGAGGACCCCATACCTCCAATCATAGGGAACAGCGCAACCTAGC
2101 CATAGCATACATGGATGCTTCAGGCCCAAGTCCCATCCACGTGGCTATGACAGGGGCCCTCAATGCC
2171 CGGGTGAGATCGAGAGTGTTACGTTCCGVAGCACCAAACTGCCACAGCCACCGACTTGGCATGAAGT
2241 TAGCTGGTCTTGAGCCTATGACATTAATACAGGACCTAACTGGCAACGTTCGTCAACGTTTCCCTCA
2311 CAATCCCGAGACTGGGACAGGTGGCCTACCTCAACCTTCCTTATCTCCACCAACAGCAGGACGTGAG
2381 TTCCATCTAGCCCTGGCTGCTCCGAGTTCAAAGAGACCCAGAACTCGAAGACGCTGTGCGGCAATGG
2451 ATGCCGCTGCAATGCCGACCCATTGTTCCGCTCAGCTCTCAGGTCTTCATGTGGTTGGAAGAAACGG
2521 GATTGTGACCGACATGGCTAACTTCGCCCTCAGCGACCCAAACGCGCATAGGATGAAAACTTCCTAGCA
2591 AACGCACCCAGGCTGGAAGCAAGTCGACAGGGGCCAAGTATGGCAGGCGAGGCTACGGAGTGGAGGCTC
2661 GAGGCCCCACACAGAAAGAGGACAGAGGAAAGAACACACGGAATCTCCAAGAAAGATGGAACAAATGGG
2731 CATCTACTTCGGACACCGGAATGGTGCTCTCAACGGGACCGAGGCCCAAGCCCGGCCAACTCAAG
2801 TACTGGCAAAACACAAGAGAAATACAGAGCCCAATGAGGACTACCCAGACTATGTGCACGCGGAGAAGA
2871 GCCGGTTGGCGTCAGAAGAACAGATCCTACGGGCAGCCACGTCGATCTACGGGGCTCCAGGACAGGCTGA
2941 ACCACCCCAGGCCTTCATAGACGAGGTGCCAGGGTCTATGAAATCAACCATGGGCGTGGTCCAAACCCAG
3011 GAGCAGATGAAGGACCTGCTCCTGACTGCGATGGAGATGAAGCATCGCAATCCCAGGCGGGCTCCACCAA
3081 AGCCAAAGCCAAACCCCAATGCTCCATCACAGAGACCCCTGGACGGCTGGCCGCTGGATCAGGACGGT
3151 CTCCGACGAGGACTTGGAGTGAGGCTCCTGGGAGTCTCCCGACACTACCCGCGCAGGTTGTGGACACCAAT
3221 TCGGCCCTTCTACCATCCCAAAATTGGATCCGTTCCGCGGTCCCT

```

Total number of bases ls: 3264.

DNA sequence composition: 834 A; 942 C; 853 G; 635 T;

Sequence name: 23-82A (SEQ ID NOS: 31 and 33)

Fig.4B

10/13

Fig.5A

1	GGATACGATCGGTCTGACCCCGGGGAGTCAACCCGGGGACAGGCCGTCAAGGCCCTTGTCCAGGATGGGA	10		20		30		40		50		60		70
71	CTCCTCCTTCTACAACGCTATCATTGATGGTTAGTAGAGATCAGACAAACGATCGCAGCGATGACAAACC													
141	TGCAAGATCAAAACCCCAACAGATTGTTCCGTTATACGGAGCCTTCGATGCCAACACCGGACCGCGGTC													
211	CATTCGGGACGACACCCCTGGAGAGCACACTCTCAGGTGAGAGACCTCGACCTACAAATTTGACTGTGGGG													
281	GACACAGGTCAGGGCTAATTGCTTTTTCCCTGGATTCCCTGGCTCAATTTGGGTGCTCACTACACAC													
351	TGCAGGGCAATGGGAACATAAAGTTGATCAGATGCTCCTGACTGCCAGAACCTACGGCCAGTTACAA													
421	CTACTGCAGGCTAGTGAGTCGGAGTCTCACAGTGAGGTCAGGCACACTTCTGTGGGCTTATGCACTA													
491	AACGGCACCATAAACGCCGTGACCTTCCAAGGAAGCCTGAGTGAACCTGACAGATGTTAGCTACAAATGGGT													
561	TGATGCTGCAACAGCCCAACATCAACGACAAAATTGGGAACGTCTAGTAGGGGAAGGGTCACCGTCCT													
631	CAGCTTACCCACATCATATGATCTTGGGTATGTGAGGCTTGGTGACCCCATTCCTCGCAATAGGGCTTGAC													
701	CCAAAATGGTAGCCACATGTGACAGCAGTGACAGGCCAGAGTCTACACCATAACTGCAGCCGATGATT													
771	ACCAATTCTCATCACAGTACCAACACAGGTGGGGTAACAATCACACTGTTCTCAGCCCAACATTGATGCCAT													
841	CACAAGCCTCAGCGTTGGGGAGAGCTCGTGTTCAAAACAAGCGTCCACGGCCTGTACTGGGCGCCACC													
911	ATCTACCTCATAGGCTTTGATGGGACAACGGTAATCACCAAGGCTGTGGCCGCAACAATGGGCTGACGA													
981	CCGGCACCGACAACCTTATGCCATTCAATCTTGTGATTCACAACAACGAGATAACCCAGCCCAATCACATC													
1051	CATCAAACTGGAGATAGTGACCTCCAAAAGTGGTGGTCAGGCAGGGGATCAGATGTATGGTCGGCAAGA													
1121	GGAGCCTAGCAGTGACGATCCATGGTGGCAACTATCCAGGGGCCCTCCGTCCCGTCACGCTAGTGGCCT													
1191	ACGAAAGAGTGGCAACAGGATCCGTGTTACGGTCGCTGGGGTGAGCAACTTCGAGCTGATCCCAAAATCC													
1261	TGAAGTACGAAAGAACCTGGTTACAGAAACAGGCCGATTTGACCCAGGAGCCATGAACCTACACAAATTG													
1331	ATACTGAGTGAGAGGGACCGTCTTGGCATCAAGACCGTCTGGCCAAACAGGGAGTACACTGACTTTCGTG													
1401	AATACTTCAATGGAGGTGGCCGACCTCAACTCTCCCTGAAGATTGCAGGAGCATTCGGCTTCAAAGACAT													
1471	AATCCGGGCCATAAGGAGGATAGCTGTGCCGGTGGTCTCCACATTTGTTCCACCTGCCGCTCCCTAGCC													
1541	CATGCAATTGGGAAGGTGTAGACTACCTGCTGGCGATGAGGCACAGGCTGCTTCAGGAACTGCTCGAG													
1611	CCGCGTCAGGAAAGCAAGAGCTGCCTCAGGCCGCAATAAGGCAGCTGACTCTCGCCGCCGACAAAGGGTA													
1681	CGAGGTAGTCGCGAATCTATTCAGGTGCCCCAGAAATCCCGTAGTCGACGGGATTCCTTGTCTCACCTGGG													
1751	GTAATCCGGCGGTGCACACAAACCTCGACTGCGTGTAAAGAGAGGGGTGCCACGCTATTCCTGTGGTTATTA													

11/13

```

1821 CGACAGTGGAGACGCCATGACACCCAAAGCATTGAACAGCAAATGTTTGCTGTCAATTGAAGCGGTGG
1891 AGAAGACCTCCAACCTCCATCTCAAGAGGATCCTTCATACGAACICTCTCTGGACACAGAGTCTATGGA
1961 TATGCTCCAGATGGGTACTTCCACTGGAGACTGGGAGAGACTACACCGTTGTCCCAATAGATGATGTCT
2031 GGGACGACAGCATTATGCTGTCCAAAGATCCCATACCTCCTATTGTGGAAACAGTGGAATCTAGCCAT
2101 AGCTTACATGGATGTGTTTCGACCCAAAGTCCCAATCCATGTGGCTATGACGGGAGCCCTCAATGCTTGT
2171 GCGAGATTGAGAAAGTAAGCTTTAGAAGCACCAGCTCGCCACTGCACACCGACTTGGCCTTAGGTTGG
2241 CTGGTCCGGAGCATTTCGATGTAAACACCGGCCCAACTGGGCAACGTTTCATCAACGTTTCCCTCACAA
2311 TCCAGCCACTGGGACAGGCTCCCTACCTCAAGCTACCATACCTTCCACCCAAATGCAGGACGCCAGTAC
2381 CACCTTGCCATGGCTGCATCAGAGTTCAAGAGACCCCGAAGTCCGAGTCCGTCAGAGCAATGGAAG
2451 CAGCAGCCAACGTGGACCCACTATTCCAATCTGCACTCAGTGTGTTTCATGTGGCTGGAAGAGATGGGAT
2521 TGTGACTGACATGGCCAACTTCGCACTCAGCGACCCGAACGCCCATCGGATGCGAAATTTCTTGCAAAAC
2591 GCACCAACAGCAGGCGAGCAAGTCGAAAGGGCCAAAGTACGGGACAGCAGGCTACGGAGTGGAGGCTCGGG
2661 GCCCCACACAGAGGAAGCACAGAGGGAAGAAAGACACACGATCTCAAAGAAAGATGGAGACCATGGGCAT
2731 CTACTTTGCAACACAGAAATGGGTAGCACTCAATGGGCACCGAGGCCAAGCCCGCCAGCTAAAGTAC
2801 TGGCAGAACACAGAGAAATACCGGACCCAAACGAGGACTATCTAGACTACGTGCATGCAGAGAGAGGCC
2871 GGTGGCATCAGAAGAACAAATCCTAAGGGCAGCTACGTGATCTACGGGGCTCCAGGACAGGCAGAGCC
2941 ACCCCAAGCTTTCATAGACGAAGTTGCCAAGTCTATGAAATCAACCATGGACGTGGCCCAACCAAGAA
3011 CAGATGAAAGATCTGCTCTTGACTGCGATGGAGATGAAGCATCGCAATCCAGGGGGCTCTACCAAGC
3081 CCAAGCCAAACCCCAATGCTCCAACACAGAGACCCCTGGTGGCTGGCCGCTGGATCAGGACCGTCTC
3151 TGATGAGGACCTTGAGTGAGGCTCCTGGGAGTCTCCCGACACACCCCGGCGAGGTGTGGACACCAATTG
3221 GCCTTACAACATCCCAAAATTGGATCCGTTGCGGGTCCCCCT

```

Total number of bases 1s: 3261.

DNA sequence composition: 873 A; 909 C; 847 G; 632 T; 0 OTHER;

Sequence name: D78F (SEQ ID NOS: 27 and 29)

**Fig.5B**

Fig.6A

1	GGATACGATGGGTCTGACCCCTCTGGGAGTCACGAATTAACGTGGCTACTAGGGGGGATACCCGCCGCTGG	10
71	CGCCACGTTAGTGCTCCTCTTCTTGATGATTCTGCCACCATGAGTGACATTTTCAACAGTCCACAGGC	20
141	GGGAAGCACGATCTCAGCAGCGTTCCGCATAAAGCCTACTGCTGGACAAGACGTGGAAGAACTCTTGATC	30
211	CCTAAAGTTTGGGTGCCACCTGAGGATCCGCTTGCCAGCCCTAGTCGACTGGCAAAGTTCTCTCAGAGAGA	40
281	ACGGCTACAAAGTTTTCAGGCCACGGTCTCTGCCCGAGAAATGAGGAGTATGAGACCGACCAAAATACTCCC	50
351	AGACTTAGCATGGATGCGACAGATAGAAAGGGCTGTTTTAAACCCACTCTATCTCTCCCTATTGGAGAT	60
421	CAGGAGTACTTCCCAAAGTACTACCCAACACATCGCCCTAGCAAGGAGAAGCCCAATGCGTACCCGCCAG	70
491	ACATCGCACTACTCAAGCAGATGATTTACCTGTTCTCCAGGTTCCAGAGGCCAACGAGGGCCTAAAGGA	
561	TGAAGTAACCCCTCTTGACCCAAACATAGGGACAAGGCTATGGAAGTGGGACCTACATGGGACAAGCA	
631	AATCGACTTGTGGCCATGAAGGAGGTGCGCACTGGAAGAAACCCAAACAAGGATCCTCTAAAGCTTGGGT	
701	ACACTTTTGAGAGCATCGGCAGCTACTTGACATCACACTACCGTAGGCCCAACCCGGTGAGGATGACAA	
771	GCCTGGG TGCCACTCACAAGAGTGCCGTACGGATGTTGGTGTGACGGGAGACGTAGATGGCGACTTT	
841	GAGGTTGAAGATTACCTTCCCAAATCAACCTCAAGTCATCAAGTGGACTACCATATGTAGGTGSCACCA	
911	AAGGAGAGACAATTGGCGAGATGATAGCTATCTCAACCCAGTTTCTCAGAGAGCTATCAACACTGTTGAA	
981	GCAAGGTGCAGGGACAAGGGGTCAACAAGAAAGAGCTACTCAGCATGTTAAGTGACTATTGGTACTTA	
1051	TCAT GCGGGCTTTTGTTCCAAAGGCTGAAAGGTACGACAAAGTACATGGCTCACCAAGACCCGGAACA	
1121	TATGGTCAGCTCCATCCCCAACACACCTCATGATCTCTATGATCACCTGGCCCGTGATGTCCAACAGCCC	
1191	AAAT AACGTGTTGAACATTGAAGGGTGTCATCACTCTACAAATTCAACCCGTTCAGAGGAGGGTTGAAC	
1261	AGGA TCGTCGAGTGGATATTGGCCCGGAAGAACCCAGGCTCTTGTAATGCGGACAACATATACATTG	
1331	TCCA CTCAAACACGTTGTTACTCAATTGACCTAGAGAAGGTGAGGCAAACTGCACCTGCCAACACATGCA	
1401	AGCCGCAATGTACTACATACCTCACCAGAGGGTGGTCAGACAACGGCGACCCAAATGTTCAATCAAACATGG	
1471	GCCACCTTTGCCATGAACATTGCCCTGCTCTAGTGTGGACTCATCGTGCCGTGATAATGAACCTGCAAA	
1541	TTAAGACCTATGGTCAAGGCAGCGGGAAATGCAGCCACGTTTCATCAACAACCCACCTCTTGAGCACACTAGT	
1611	GCTTGACCAGTGGAACCTGATGAGACAGCCCCAGACAGCGGAGGTTCAAATCAATTGAGGACAAG	
1681	CTAGGTATCAACTTTAAGATTGAGAGGTCCTATGATGATATCAGGGGCAAGCTGAGACAGCTTGTCTCTCC	
1751	TTGCACAACCAAGGTACCTGAGTGGGGGGGTTGAACCAGAACAAATCCAGGCCCAACTGTTGAGCTTGACCT	



1821 ACTAGGGTGGTCAGCTACATACAGCAAAGATCTCGGGATCTATGTGCCGGTGCTTGACAAGGAACGCCTA  
1891 TTTTGTCTGCTGCGTATCCCAAGGGAGTAGAGAACAGAGTCTCAAGTCCAAAGTCGGGATCGAGCAGG  
1961 CATACAAGGTAGTCAGGTATGAGGCGTTGAGGTGGTAGGTGGTGGAACTACCCACTCCTGAACAAAGC  
2031 CTGCAAGAAATAACGCAGGCGCGCTCGGCGGCATCTGGAGGCCAAGGGTCCCACTCGACGAGTTCCCTA  
2101 GCCGAGTGGTCTGAGCTGTCAGAGTTCGGTGAGGCCTTCGAAGGCTTCAATATCAAGCTGACCGTAACAT  
2171 CTGAGAGCCTAGCCGAACCTGAACAAGCCAGTACCCCCAAGCCCCCAATGTCAACAGACCAGTCAACAC  
2241 TGGGGACTCAAGGCAGTCAGCAACGCCCTCAAGACCCTCGGTACAGGAACGAAGCCGACTGAGTGGT  
2311 CTCGTCTTCTAGCCACAGCAAGAACGCCGTCTGCAAGATGCAGTTAAGGCCAAGGCAGAACCCGAGAAC  
2381 TCCACAAGTCCAAGCCAGACGCCCGATGCAGACTGGTTCGAAAGATCAGAAACTCTGTGAGACCTTCT  
2451 GGAGAAAGCCGACATCGCCAGCAAGGTGCCCACTCAGCACTCGTGGAAACAAGCGACGCCCTTGAAGCA  
2521 GTTCAGTCGACTTCCGTGTACACCCCCAAGTACCCAGAAGTCAAGAACCCACAGACCGCTCCAACCCCG  
2591 TTGTTGGCTCCACCTGCCCGCCAAAGAGGCCACCGGTGTCCAGGCCGCTCTTCTCGGAGCAGGAACGAG  
2661 CAGACCAATGGGGATGGAGGCCCAACACGGTCCAAGAACGCCGTGAAAATGGCCAAACGGCGGCAACGC  
2731 CAAAAGGAGAGCCGCTAACAGCCATGATGGGAACCACTCAAGAAGAGGACACTAATCCCAGACCCCGTAT  
2801 CCCCCGCCCTCGCCTGCGGGGGCCCCC

Total number of bases is: 2827.

DNA sequence composition: 796 A; 770 C; 724 G; 537 T; 0 OTHER;

Sequence name: P2B (SEQ ID No: 25)

Fig.6B

## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US97/12955**A. CLASSIFICATION OF SUBJECT MATTER**

IPC(6) : Please See Extra Sheet.

US CL : Please See Extra Sheet.

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 424/184.1, 204.1, 816, 826; 435/71.1, 235.1, 236, 237, 238, 239, 320.1; 536/23.72

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS, STN-MEDLINE, BIOSIS, CAPLUS, CABA

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	MUNDT et al. Complete Nucleotide Sequences of 5'- and 3' Noncoding Regions of Both Genome Segments of Different Strains of Infectious Bursal Disease Virus. Virology. 1995, Vol. 209, pages 10-18, see entire document.	1-2, 4-20
X	US 4,530,831 A (LUTTICKEN ET AL) 23 JULY 1985 (07/23/85), see entire document.	7, 15-20
X	US 5,192,539 A (VAN DER MAREL ET AL) 09 MARCH 1993 (09/03/93), see entire document.	1-3, 7, 15-20
X	MUNDT et al. Identification of a novel viral protein in infectious bursal disease virus-infected cells. Journal of General Virology. 1995, Vol. 76, pages 437-443, see entire document.	8

☒ Further documents are listed in the continuation of Box C.
 ☐ See patent family annex.

* Special categories of cited documents:	* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
*A* document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
*B* earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
*L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*A* document member of the same patent family
*O* document referring to an oral disclosure, use, exhibition or other means	
*P* document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

22 SEPTEMBER 1997

Date of mailing of the international search report

10 NOV 1997

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer.

DATQUAN LEE

Telephone No. (703) 308-0196

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/US97/12955

## C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	BAYLISS et al. A comparison of the sequences of segment A of four infectious bursal disease virus strain and identification of a variable region in VP2. Journal of General Virology. 1990, Vol. 71, pages 1303-1312, see entire document.	1-2, 5-8, 10-13
Y	MORGAN et al. Sequence of the Small Double-Stranded RNA Genomic Segment of Infectious Bursal Disease Virus and Its Deduced 90kDa Product. Virology. 1988, Vol. 163, pages 240-242, see entire document.	1-20
Y	SPIES et al. Nucleotide sequence of infectious bursal disease virus genome segment A delineates two major open reading frames. Nucleic Acids Research. 1989, Vol. 17, No. 19, page 7982, see entire document.	1-20
Y	WO 91/16925 A1 (UNIVERSITY OF MARYLAND at COLLEGE PARK) 14 NOVEMBER 1991 (14/11/91), see entire document.	1-20

**A. CLASSIFICATION OF SUBJECT MATTER:**

IPC (6):

A61K 39/00, 39/38, 39/12; C12P 21/04; C12N 7/00, 7/01, 7/02, 7/04, 7/06, 7/08, 15/00, 15/09, 15/63, 15/70, 15/74

**A. CLASSIFICATION OF SUBJECT MATTER:**

US CL :

424/184.1, 204.1, 816, 826; 435/71.1, 235.1, 236, 237, 238, 239, 320.1; 536/23.72